

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003**

New York City

Site of Cancer	Males			Incidence			Females			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	16812.0	529.4	3.6	17548.8	390.6	2.6	6326.6	208.8	2.3	6833.8	148.0	1.6			
Oral cavity and pharynx	502.4	15.0	0.6	248.8	5.6	0.3	132.6	4.1	0.3	59.6	1.3	0.1			
Esophagus	245.2	7.7	0.4	116.2	2.5	0.2	200.0	6.4	0.4	87.0	1.9	0.2			
Stomach	521.6	16.9	0.7	420.0	9.0	0.4	276.2	9.1	0.5	238.6	5.1	0.3			
Colorectal	2024.8	65.8	1.3	2228.4	48.2	0.9	746.8	25.1	0.8	828.0	17.5	0.5			
Colon excluding rectum	1432.8	47.1	1.1	1693.0	36.5	0.8	644.0	21.7	0.8	730.6	15.4	0.5			
Rectum & rectosigmoid	592.0	18.6	0.7	535.4	11.8	0.4	102.8	3.3	0.3	97.4	2.1	0.2			
Liver / intrahepatic bile duct	457.6	13.8	0.6	208.4	4.6	0.3	304.8	9.5	0.5	168.0	3.6	0.2			
Pancreas	432.4	14.1	0.6	532.4	11.4	0.4	352.6	11.6	0.5	437.0	9.3	0.4			
Larynx	251.4	7.8	0.4	75.6	1.7	0.2	97.2	3.1	0.3	26.6	0.6	0.1			
Lung and bronchus	2227.6	71.5	1.3	1922.0	42.4	0.9	1673.2	54.4	1.2	1373.6	30.0	0.7			
Melanoma of the skin	303.0	9.4	0.5	272.4	6.0	0.3	64.8	2.1	0.2	55.4	1.2	0.1			
Female breast				5036.8	114.1	1.4				1204.2	26.4	0.7			
Cervix uteri				488.6	11.2	0.4				155.0	3.5	0.2			
Corpus uterus and NOS				1138.0	25.6	0.7				238.4	5.2	0.3			
Ovary				599.0	13.5	0.5				358.4	7.9	0.4			
Prostate	5094.6	161.5	2.0				793.6	28.7	0.9						
Testis	158.2	3.8	0.3				6.8	0.2	0.1						
Urinary bladder (incl. in situ)	938.6	31.4	0.9	406.0	8.7	0.4	187.8	6.6	0.4	103.4	2.1	0.2			
Kidney and renal pelvis	553.2	17.0	0.6	360.6	8.0	0.4	131.8	4.2	0.3	82.6	1.8	0.2			
Brain and other nervous system	244.6	7.0	0.4	242.6	5.5	0.3	122.6	3.7	0.3	108.0	2.4	0.2			
Thyroid	151.6	4.2	0.3	490.4	11.2	0.4	12.0	0.4	0.1	26.2	0.6	0.1			
Hodgkin lymphoma	133.8	3.5	0.3	121.4	2.8	0.2	20.8	0.6	0.1	16.0	0.4	0.1			
Non-Hodgkin lymphomas	755.6	22.7	0.7	690.2	15.3	0.5	264.4	8.4	0.5	239.8	5.2	0.3			
Multiple myeloma	224.4	7.2	0.4	264.2	5.8	0.3	105.0	3.5	0.3	138.4	3.0	0.2			
Leukemias	436.4	13.6	0.6	410.6	9.1	0.4	234.2	7.5	0.4	228.0	4.9	0.3			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Site of Cancer	Incidence				Mortality							
	Males		Females		Males		Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	30546.8	593.2	3.0	29769.6	451.9	2.3	11747.8	238.3	2.0	11864.0	170.7	1.4
Oral cavity and pharynx	764.4	14.3	0.5	400.0	6.0	0.3	181.4	3.5	0.2	102.8	1.5	0.1
Esophagus	461.8	8.9	0.4	160.2	2.3	0.2	422.8	8.2	0.4	146.2	2.1	0.2
Stomach	610.4	12.1	0.4	373.6	5.3	0.2	306.4	6.2	0.3	218.4	3.0	0.2
Colorectal	3537.2	70.0	1.0	3620.8	51.8	0.8	1253.4	25.8	0.6	1309.6	18.0	0.4
Colon excluding rectum	2457.6	49.1	0.9	2748.6	39.0	0.7	1032.0	21.3	0.6	1121.8	15.3	0.4
Rectum & rectosigmoid	1079.6	20.9	0.6	872.2	12.8	0.4	221.4	4.5	0.3	187.8	2.6	0.2
Liver / intrahepatic bile duct	388.4	7.4	0.3	189.8	2.8	0.2	297.6	5.8	0.3	172.2	2.4	0.2
Pancreas	724.6	14.2	0.5	820.4	11.7	0.4	651.8	13.0	0.5	736.4	10.4	0.3
Larynx	406.6	7.7	0.3	113.0	1.7	0.1	124.8	2.4	0.2	34.6	0.5	0.1
Lung and bronchus	4629.8	90.4	1.2	4119.4	61.4	0.8	3536.8	70.0	1.0	2964.8	43.5	0.7
Melanoma of the skin	898.2	17.2	0.5	670.8	10.7	0.4	192.2	3.7	0.2	125.2	1.9	0.1
Female breast				8766.8	136.3	1.3				1847.2	27.1	0.6
Cervix uteri				474.4	7.9	0.3				147.2	2.3	0.2
Corpus uterus and NOS				1827.2	28.2	0.6				308.6	4.4	0.2
Ovary				1020.4	15.7	0.4				652.8	9.6	0.3
Prostate	9068.8	174.4	1.6				1241.2	27.8	0.7			
Testis	325.6	6.1	0.3				15.2	0.3	0.1			
Urinary bladder (incl. in situ)	2371.6	47.2	0.9	882.8	12.8	0.4	420.0	9.0	0.4	195.6	2.6	0.2
Kidney and renal pelvis	1013.6	19.2	0.5	639.6	9.7	0.3	277.6	5.5	0.3	185.6	2.6	0.2
Brain and other nervous system	467.8	8.8	0.4	409.6	6.6	0.3	272.2	5.1	0.3	226.2	3.5	0.2
Thyroid	273.2	5.0	0.3	829.0	14.3	0.4	19.2	0.4	0.1	36.4	0.5	0.1
Hodgkin lymphoma	210.2	3.9	0.2	171.2	3.0	0.2	28.4	0.5	0.1	30.8	0.5	0.1
Non-Hodgkin lymphomas	1248.0	24.1	0.6	1179.6	17.7	0.5	481.4	9.7	0.4	454.0	6.4	0.3
Multiple myeloma	387.8	7.7	0.3	325.4	4.7	0.2	230.6	4.7	0.3	199.8	2.8	0.2
Leukemias	922.0	18.3	0.5	713.2	10.7	0.4	508.4	10.4	0.4	410.2	5.8	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Bronx

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2502.2	563.6	10.1	2632.0	388.2	6.7	984.8	232.1	6.6	1092.6	159.5	4.3
Oral cavity and pharynx	82.2	17.3	1.7	35.8	5.3	0.8	23.8	5.3	1.0	9.4	1.4	0.4
Esophagus	42.8	9.8	1.3	20.4	3.0	0.6	34.2	7.9	1.2	18.2	2.7	0.5
Stomach	77.0	18.1	1.8	66.4	9.6	1.0	46.6	11.1	1.4	37.6	5.4	0.8
Colorectal	285.2	67.1	3.5	346.4	50.6	2.4	110.4	26.5	2.2	141.0	20.2	1.5
Colon excluding rectum	202.6	48.4	3.0	266.6	38.8	2.1	95.2	23.0	2.1	124.0	17.8	1.4
Rectum & rectosigmoid	82.6	18.8	1.8	79.8	11.8	1.2	15.2	3.5	0.8	17.0	2.5	0.5
Liver / intrahepatic bile duct	76.6	16.2	1.6	37.2	5.5	0.8	47.6	10.3	1.3	31.2	4.6	0.7
Pancreas	59.6	13.7	1.6	83.6	12.0	1.2	45.4	10.6	1.4	65.8	9.4	1.0
Larynx	45.0	9.8	1.3	18.0	2.7	0.6	21.2	4.7	0.9	6.6	1.0	0.3
Lung and bronchus	320.4	73.5	3.7	277.4	41.2	2.2	253.8	59.3	3.3	211.0	31.2	1.9
Melanoma of the skin	21.6	5.0	1.0	19.6	2.8	0.6	9.0	2.0	0.6	6.0	0.9	0.3
Female breast				716.8	107.1	3.5				183.0	27.0	1.8
Cervix uteri				95.4	14.2	1.3				35.2	5.3	0.8
Corpus uterus and NOS				166.2	24.9	1.7				35.6	5.3	0.8
Ovary				81.8	12.1	1.2				52.0	7.7	0.9
Prostate	821.0	189.7	5.9				142.4	37.6	2.8			
Testis	16.2	2.5	0.6				1.4	0.2	0.2			
Urinary bladder (incl. in situ)	104.0	25.6	2.2	60.6	8.7	1.0	24.2	6.3	1.1	18.4	2.6	0.5
Kidney and renal pelvis	71.0	15.3	1.6	56.6	8.4	1.0	21.6	4.9	0.9	11.8	1.7	0.4
Brain and other nervous system	30.4	5.9	1.0	32.8	4.7	0.7	16.2	3.3	0.8	16.2	2.4	0.5
Thyroid	16.8	3.3	0.7	64.4	9.4	1.0	1.6	0.4	0.3	4.0	0.6	0.3
Hodgkin lymphoma	24.6	4.3	0.8	17.0	2.4	0.5	5.4	1.1	0.4	2.6	0.4	0.2
Non-Hodgkin lymphomas	112.4	23.1	2.0	108.2	15.9	1.3	35.8	7.7	1.2	41.8	6.0	0.8
Multiple myeloma	42.8	9.8	1.3	54.4	8.1	1.0	19.6	4.6	0.9	26.8	3.9	0.7
Leukemias	69.4	15.0	1.6	70.0	10.0	1.1	34.8	7.8	1.2	33.6	4.8	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Kings (Brooklyn)

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4975.0	527.9	6.6	5196.2	381.4	4.7	1862.6	204.8	4.2	2032.8	145.9	2.8
Oral cavity and pharynx	147.0	14.7	1.1	75.0	5.6	0.6	45.4	4.5	0.6	20.4	1.5	0.3
Esophagus	72.4	7.6	0.8	33.2	2.4	0.4	58.0	6.1	0.7	25.0	1.8	0.3
Stomach	163.2	17.8	1.2	140.6	10.0	0.7	87.0	9.6	0.9	79.4	5.6	0.6
Colorectal	639.4	70.0	2.5	710.2	50.7	1.7	229.8	25.7	1.5	257.6	18.1	1.0
Colon excluding rectum	464.8	51.5	2.1	547.0	38.9	1.5	202.0	22.7	1.4	230.8	16.2	0.9
Rectum & rectosigmoid	174.6	18.5	1.2	163.2	11.8	0.8	27.8	3.0	0.5	26.8	1.9	0.3
Liver / intrahepatic bile duct	128.2	13.1	1.0	59.2	4.3	0.5	87.8	9.2	0.9	45.8	3.3	0.4
Pancreas	125.4	13.9	1.1	153.0	10.9	0.8	100.4	11.1	1.0	126.4	8.9	0.7
Larynx	75.0	7.8	0.8	19.6	1.5	0.3	29.2	3.1	0.5	6.8	0.5	0.2
Lung and bronchus	653.0	70.3	2.4	513.8	37.4	1.5	491.6	53.3	2.1	368.6	26.6	1.2
Melanoma of the skin	72.0	7.6	0.8	67.0	4.9	0.5	16.0	1.7	0.4	16.0	1.2	0.3
Female breast				1451.8	108.5	2.5				374.0	27.2	1.2
Cervix uteri				165.6	12.5	0.9				47.6	3.6	0.5
Corpus uterus and NOS				362.2	26.9	1.2				81.0	5.9	0.6
Ovary				165.8	12.3	0.8				103.8	7.6	0.7
Prostate	1552.8	165.5	3.7				239.6	28.7	1.6			
Testis	37.8	3.1	0.5				1.0	0.1	0.1			
Urinary bladder (incl. in situ)	276.0	31.0	1.7	107.4	7.7	0.7	49.6	5.9	0.7	26.2	1.8	0.3
Kidney and renal pelvis	163.8	17.1	1.2	117.0	8.6	0.7	36.4	3.9	0.6	28.0	2.0	0.3
Brain and other nervous system	72.2	6.9	0.7	77.4	5.7	0.6	34.8	3.5	0.5	29.4	2.2	0.3
Thyroid	41.2	3.9	0.5	139.4	10.6	0.8	2.4	0.3	0.1	9.4	0.7	0.2
Hodgkin lymphoma	39.6	3.5	0.5	37.4	2.8	0.4	5.4	0.5	0.2	5.0	0.4	0.1
Non-Hodgkin lymphomas	209.2	21.3	1.3	208.0	15.3	0.9	69.8	7.4	0.8	68.0	4.9	0.5
Multiple myeloma	62.6	6.8	0.8	80.0	5.8	0.6	30.4	3.3	0.5	39.0	2.8	0.4
Leukemias	128.0	13.2	1.0	120.2	8.7	0.7	69.4	7.5	0.8	66.0	4.7	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003

New York (Manhattan)

Site of Cancer	Males			Incidence			Females			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3558.2	542.9	8.1	3785.6	421.9	6.1	1337.4	220.4	5.4	1462.4	156.9	3.6			
Oral cavity and pharynx	117.6	16.9	1.4	57.2	6.3	0.7	29.6	4.5	0.7	14.4	1.5	0.3			
Esophagus	55.8	8.7	1.0	29.2	3.1	0.5	45.2	7.1	0.9	21.6	2.3	0.4			
Stomach	95.0	15.0	1.4	73.4	8.0	0.8	50.8	8.3	1.0	45.0	4.7	0.6			
Colorectal	368.4	58.6	2.7	409.2	44.4	1.9	147.2	24.8	1.8	159.2	16.7	1.2			
Colon excluding rectum	260.0	42.2	2.3	311.0	33.5	1.7	125.4	21.4	1.7	136.6	14.3	1.1			
Rectum & rectosigmoid	108.4	16.5	1.4	98.2	10.9	1.0	21.8	3.5	0.7	22.6	2.4	0.4			
Liver / intrahepatic bile duct	108.0	15.8	1.4	44.8	4.9	0.7	67.6	10.3	1.1	37.4	4.0	0.6			
Pancreas	90.8	14.6	1.4	115.6	12.5	1.0	73.0	12.0	1.2	99.6	10.5	0.9			
Larynx	50.0	7.6	1.0	16.4	1.9	0.4	18.6	2.9	0.6	6.6	0.7	0.2			
Lung and bronchus	441.0	69.2	2.9	454.0	50.0	2.1	326.4	52.5	2.6	318.4	34.4	1.7			
Melanoma of the skin	109.2	16.0	1.4	85.0	9.2	0.9	18.0	3.0	0.6	12.2	1.4	0.3			
Female breast				1168.2	132.7	3.4				249.0	26.8	1.5			
Cervix uteri				85.0	9.7	0.9				30.6	3.5	0.6			
Corpus uterus and NOS				225.0	25.4	1.5				44.2	4.9	0.6			
Ovary				129.4	14.7	1.1				77.4	8.6	0.9			
Prostate	1043.2	160.1	4.4				180.4	32.9	2.2						
Testis	46.8	5.1	0.7				1.6	0.2	0.2						
Urinary bladder (incl. in situ)	189.4	30.8	2.0	86.8	9.4	0.9	42.6	7.5	1.0	24.4	2.4	0.4			
Kidney and renal pelvis	116.6	17.5	1.4	70.0	7.8	0.8	26.8	4.3	0.7	15.4	1.6	0.4			
Brain and other nervous system	59.2	8.6	1.0	54.4	6.6	0.8	29.0	4.4	0.7	21.6	2.5	0.5			
Thyroid	41.2	5.4	0.8	111.8	12.3	1.0	3.0	0.5	0.2	4.2	0.4	0.2			
Hodgkin lymphoma	30.4	3.9	0.6	29.8	3.4	0.6	5.6	0.8	0.3	3.8	0.4	0.2			
Non-Hodgkin lymphomas	187.6	27.4	1.8	147.8	16.4	1.2	61.8	9.9	1.1	48.8	5.2	0.7			
Multiple myeloma	44.2	7.1	1.0	48.6	5.3	0.7	24.6	4.2	0.7	29.6	3.2	0.5			
Leukemias	83.8	13.2	1.3	81.4	9.2	0.9	47.2	7.7	1.0	52.0	5.7	0.7			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Queens

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4636.2	490.5	6.4	4846.4	371.0	4.7	1736.2	190.1	4.0	1818.0	134.3	2.8
Oral cavity and pharynx	130.0	13.2	1.0	66.6	5.2	0.6	29.6	3.1	0.5	12.4	0.9	0.2
Esophagus	63.8	6.7	0.7	30.2	2.2	0.4	52.2	5.6	0.7	19.4	1.4	0.3
Stomach	163.4	17.7	1.2	120.6	8.9	0.7	82.4	9.0	0.9	67.4	4.9	0.5
Colorectal	593.8	63.9	2.3	633.4	46.6	1.6	209.0	23.1	1.4	219.8	15.8	0.9
Colon excluding rectum	409.4	44.4	1.9	468.4	34.2	1.4	179.0	19.9	1.3	195.0	14.0	0.9
Rectum & rectosigmoid	184.4	19.5	1.3	165.0	12.3	0.8	30.0	3.2	0.5	24.8	1.8	0.3
Liver / intrahepatic bile duct	121.8	12.4	1.0	58.0	4.3	0.5	84.2	8.9	0.9	44.0	3.2	0.4
Pancreas	126.0	13.7	1.1	147.4	10.6	0.8	105.6	11.5	1.0	116.2	8.3	0.7
Larynx	65.2	6.9	0.8	16.4	1.2	0.3	22.2	2.4	0.4	5.2	0.4	0.2
Lung and bronchus	641.2	69.0	2.4	533.2	39.9	1.5	470.2	51.1	2.1	369.4	27.4	1.3
Melanoma of the skin	74.4	7.9	0.8	78.4	6.0	0.6	17.4	1.9	0.4	16.6	1.3	0.3
Female breast				1383.6	108.5	2.6				322.2	24.2	1.2
Cervix uteri				121.2	9.8	0.8				36.0	2.9	0.4
Corpus uterus and NOS				317.8	24.6	1.2				64.8	4.9	0.5
Ovary				185.0	14.4	0.9				100.0	7.5	0.7
Prostate	1350.2	143.2	3.4				193.4	22.8	1.4			
Testis	41.0	3.5	0.5				2.8	0.3	0.1			
Urinary bladder (incl. in situ)	286.0	31.8	1.7	121.2	8.8	0.7	56.2	6.4	0.8	26.6	1.9	0.3
Kidney and renal pelvis	156.8	16.2	1.1	93.2	7.1	0.6	37.6	4.0	0.6	21.4	1.6	0.3
Brain and other nervous system	67.2	6.7	0.7	64.0	5.1	0.6	34.8	3.5	0.5	35.0	2.7	0.4
Thyroid	40.8	3.9	0.5	144.2	11.8	0.9	4.6	0.5	0.2	7.2	0.5	0.2
Hodgkin lymphoma	32.2	2.9	0.5	27.0	2.3	0.4	3.8	0.4	0.2	4.0	0.3	0.1
Non-Hodgkin lymphomas	192.0	19.6	1.3	182.2	13.9	0.9	78.8	8.5	0.8	67.0	4.9	0.5
Multiple myeloma	62.0	6.6	0.7	67.2	5.0	0.5	26.0	2.8	0.5	35.0	2.5	0.4
Leukemias	125.6	13.2	1.0	111.8	8.6	0.7	69.0	7.4	0.8	63.2	4.7	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Richmond (Staten Island)

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1140.4	604.6	16.1	1088.6	435.7	11.6	405.6	230.6	10.3	428.0	168.9	7.2
Oral cavity and pharynx	25.6	12.9	2.3	14.2	5.6	1.3	4.2	2.4	1.1	3.0	1.2	0.6
Esophagus	10.4	5.6	1.5	3.2	1.3	0.6	10.4	5.6	1.6	2.8	1.1	0.6
Stomach	23.0	12.6	2.4	19.0	7.5	1.5	9.4	5.0	1.5	9.2	3.6	1.0
Colorectal	138.0	75.8	5.8	129.2	50.9	3.9	50.4	29.8	3.8	50.4	19.6	2.4
Colon excluding rectum	96.0	53.4	4.9	100.0	39.4	3.5	42.4	24.9	3.4	44.2	17.2	2.3
Rectum & rectosigmoid	42.0	22.5	3.1	29.2	11.5	1.9	8.0	4.9	1.6	6.2	2.4	0.8
Liver / intrahepatic bile duct	23.0	11.9	2.2	9.2	3.6	1.0	17.6	9.4	2.0	9.6	3.8	1.1
Pancreas	30.6	16.4	2.7	32.8	12.8	2.0	28.2	15.4	2.6	29.0	11.3	1.8
Larynx	16.2	8.0	1.8	5.2	2.1	0.8	6.0	3.3	1.2	1.4	0.6	0.4
Lung and bronchus	172.0	92.5	6.3	143.6	57.5	4.2	131.2	72.4	5.7	106.2	42.3	3.6
Melanoma of the skin	25.8	13.0	2.3	22.4	9.0	1.7	4.4	2.1	0.9	4.6	1.9	0.8
Female breast				316.4	127.1	6.3				76.0	30.0	3.0
Cervix uteri				21.4	8.7	1.6				5.6	2.3	0.8
Corpus uterus and NOS				66.8	26.7	2.9				12.8	5.0	1.2
Ovary				37.0	14.9	2.1				25.2	10.0	1.8
Prostate	327.4	172.7	8.5				37.8	25.4	3.7			
Testis	16.4	7.4	1.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	83.2	47.5	4.7	30.0	11.9	1.9	15.2	9.5	2.2	7.8	3.0	1.0
Kidney and renal pelvis	45.0	22.4	3.0	23.8	9.6	1.7	9.4	5.3	1.6	6.0	2.4	0.8
Brain and other nervous system	15.6	7.7	1.7	14.0	5.8	1.4	7.8	3.9	1.2	5.8	2.3	0.9
Thyroid	11.6	5.3	1.4	30.6	12.5	2.0	0.4	0.2	0.2	1.4	0.5	0.4
Hodgkin lymphoma	7.0	3.3	1.1	10.2	4.3	1.2	0.6	0.3	0.3	0.6	0.2	0.3
Non-Hodgkin lymphomas	54.4	28.1	3.4	44.0	17.7	2.3	18.2	9.9	2.1	14.2	5.7	1.3
Multiple myeloma	12.8	7.2	1.8	14.0	5.5	1.3	4.4	2.5	1.1	8.0	3.1	1.0
Leukemias	29.6	15.6	2.6	27.2	10.9	1.8	13.8	7.6	1.9	13.2	5.2	1.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Albany

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	782.0	578.9	18.2	796.8	434.1	13.7	319.6	242.7	12.0	336.6	170.1	8.3
Oral cavity and pharynx	21.6	15.4	2.9	13.0	7.2	1.8	5.2	3.9	1.5	5.0	2.5	1.0
Esophagus	13.6	10.2	2.4	6.0	3.1	1.1	12.4	9.6	2.4	4.4	2.2	1.0
Stomach	14.8	11.3	2.6	8.8	4.5	1.3	8.4	6.5	2.0	4.2	2.0	0.9
Colorectal	93.0	69.8	6.4	107.4	54.5	4.7	34.6	26.6	4.0	36.4	17.2	2.6
Colon excluding rectum	67.6	50.9	5.5	84.0	42.6	4.2	26.4	20.4	3.5	29.6	13.8	2.3
Rectum & rectosigmoid	25.4	18.9	3.3	23.4	12.0	2.2	8.2	6.2	1.9	6.8	3.4	1.2
Liver / intrahepatic bile duct	14.2	10.4	2.4	5.0	2.4	1.0	13.0	9.7	2.4	3.6	1.6	0.8
Pancreas	16.4	12.0	2.6	21.6	10.8	2.1	15.8	11.6	2.6	19.6	9.2	1.9
Larynx	10.2	7.5	2.1	2.4	1.4	0.8	4.4	3.4	1.5	0.8	0.4	0.4
Lung and bronchus	124.6	92.3	7.3	116.6	62.4	5.1	96.6	71.8	6.4	88.4	46.2	4.4
Melanoma of the skin	14.6	10.4	2.4	14.8	8.5	2.0	6.0	4.4	1.6	3.2	1.6	0.8
Female breast				233.6	132.5	7.7				49.4	25.8	3.3
Cervix uteri				10.0	6.0	1.7				4.8	2.7	1.1
Corpus uterus and NOS				39.2	22.2	3.1				7.0	3.4	1.2
Ovary				23.6	13.3	2.4				17.4	9.5	2.0
Prostate	227.8	167.2	9.7				33.8	27.2	4.1			
Testis	6.2	4.2	1.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	69.4	52.6	5.6	27.8	14.2	2.4	9.6	7.4	2.1	6.2	2.7	1.0
Kidney and renal pelvis	24.6	18.3	3.2	13.6	7.8	1.9	8.0	6.1	1.9	4.8	2.6	1.1
Brain and other nervous system	11.4	8.4	2.2	10.8	6.2	1.7	8.6	6.2	1.9	6.6	3.6	1.3
Thyroid	4.8	3.4	1.4	22.2	14.1	2.6	0.0	0.0	0.0	2.0	0.8	0.5
Hodgkin lymphoma	5.8	4.1	1.5	3.8	2.4	1.1	0.8	0.6	0.5	0.8	0.5	0.5
Non-Hodgkin lymphomas	30.2	22.5	3.6	29.2	15.6	2.6	14.0	10.8	2.5	12.4	5.8	1.5
Multiple myeloma	7.4	5.5	1.8	7.0	3.4	1.2	4.6	3.4	1.4	4.8	2.3	0.9
Leukemias	24.0	17.9	3.2	22.2	11.3	2.2	12.6	10.1	2.5	13.4	6.5	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Allegany

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	143.0	587.5	43.4	127.8	454.0	35.7	65.6	274.7	29.9	53.0	178.2	21.7
Oral cavity and pharynx	4.0	16.9	7.5	1.6	5.8	4.1	1.2	4.9	3.9	0.2	0.7	1.4
Esophagus	2.2	8.9	5.3	0.4	1.4	1.9	2.6	10.8	5.9	0.4	1.2	1.7
Stomach	2.4	9.9	5.6	0.8	2.6	2.5	0.8	3.3	3.2	0.2	0.6	1.1
Colorectal	18.0	75.8	15.8	17.8	59.1	12.4	8.2	35.1	10.8	7.4	22.8	7.4
Colon excluding rectum	13.0	55.0	13.5	14.2	46.9	11.0	7.2	30.7	10.1	7.2	22.0	7.3
Rectum & rectosigmoid	5.0	20.8	8.2	3.6	12.2	5.7	1.0	4.4	3.9	0.2	0.7	1.4
Liver / intrahepatic bile duct	1.2	4.9	4.0	0.4	1.4	2.0	1.0	4.4	3.9	1.0	3.1	2.8
Pancreas	2.0	8.7	5.5	3.0	10.3	5.2	1.6	7.3	5.1	2.0	6.9	4.3
Larynx	2.6	10.1	5.5	0.6	2.1	2.4	0.6	2.4	2.7	0.2	0.8	1.5
Lung and bronchus	25.4	103.5	18.1	19.4	67.5	13.5	21.4	87.2	16.6	13.8	46.8	11.2
Melanoma of the skin	5.2	21.1	8.2	3.6	13.6	6.4	0.8	3.2	3.1	0.4	1.4	2.0
Female breast				32.6	119.1	18.5				6.4	22.6	7.9
Cervix uteri				3.0	12.6	6.5				1.6	6.1	4.3
Corpus uterus and NOS				10.4	37.6	10.3				0.8	2.9	2.9
Ovary				5.0	17.4	6.9				3.2	11.0	5.5
Prostate	40.8	163.9	22.6				6.6	29.8	10.2			
Testis	1.4	6.6	5.0				0.2	0.9	1.7			
Urinary bladder (incl. in situ)	11.8	48.3	12.4	2.8	9.0	4.8	4.0	16.4	7.2	1.2	3.8	3.1
Kidney and renal pelvis	4.6	19.0	7.8	4.4	17.1	7.2	1.2	5.0	4.0	1.2	4.0	3.2
Brain and other nervous system	2.8	11.9	6.3	1.0	4.1	3.7	1.2	4.4	3.6	0.8	2.6	2.6
Thyroid	0.8	3.1	3.1	3.0	12.6	6.5	0.2	0.8	1.5	0.2	0.7	1.4
Hodgkin lymphoma	0.4	1.8	2.5	0.4	2.0	2.7	0.6	2.5	2.9	0.0	0.0	0.0
Non-Hodgkin lymphomas	3.8	16.2	7.4	4.8	17.0	6.9	4.4	18.6	7.8	2.0	7.3	4.6
Multiple myeloma	2.0	8.5	5.4	1.4	4.7	3.5	1.4	6.0	4.5	1.2	4.3	3.5
Leukemias	5.0	21.0	8.3	4.4	14.5	6.2	2.4	10.2	5.8	1.4	4.1	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Broome

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	607.6	591.9	21.1	563.6	426.4	16.2	248.6	245.3	13.7	246.2	168.9	9.7
Oral cavity and pharynx	15.4	15.1	3.4	9.8	7.4	2.1	3.8	3.8	1.7	2.0	1.5	1.0
Esophagus	8.4	8.2	2.5	2.8	1.9	1.0	7.8	7.6	2.4	4.0	2.7	1.2
Stomach	7.6	7.6	2.4	5.8	3.8	1.4	4.0	3.9	1.7	3.8	2.5	1.2
Colorectal	68.4	66.6	7.1	68.6	46.7	5.1	24.2	24.0	4.3	21.6	13.6	2.6
Colon excluding rectum	47.0	46.0	5.9	51.4	34.3	4.3	18.0	18.0	3.7	16.8	10.3	2.3
Rectum & rectosigmoid	21.4	20.7	3.9	17.2	12.3	2.7	6.2	6.0	2.1	4.8	3.3	1.4
Liver / intrahepatic bile duct	8.2	8.1	2.5	3.0	2.3	1.2	7.2	7.1	2.3	2.8	1.9	1.0
Pancreas	16.0	15.7	3.4	13.8	9.6	2.3	14.8	14.6	3.3	13.8	9.2	2.2
Larynx	7.8	7.5	2.4	2.4	1.8	1.1	2.8	2.8	1.4	1.0	0.6	0.5
Lung and bronchus	98.8	95.6	8.4	78.0	57.0	5.8	70.2	68.1	7.1	62.0	44.3	5.1
Melanoma of the skin	20.6	20.3	3.9	16.6	14.1	3.1	4.4	4.3	1.8	3.2	2.3	1.2
Female breast				154.2	122.8	8.9				39.2	28.0	4.0
Cervix uteri				7.6	6.6	2.2				3.4	2.7	1.4
Corpus uterus and NOS				40.0	32.2	4.5				6.0	4.0	1.5
Ovary				22.2	16.3	3.1				16.8	11.7	2.6
Prostate	184.0	176.5	11.4				31.2	31.6	5.0			
Testis	6.2	6.9	2.4				0.2	0.2	0.5			
Urinary bladder (incl. in situ)	42.4	41.5	5.6	15.4	11.1	2.6	7.6	7.6	2.4	3.6	2.1	1.0
Kidney and renal pelvis	19.4	19.1	3.8	12.8	9.1	2.3	7.4	7.3	2.4	4.6	2.8	1.2
Brain and other nervous system	8.4	8.2	2.5	7.2	5.8	2.0	5.2	5.1	2.0	5.0	3.6	1.4
Thyroid	4.6	4.6	1.9	14.6	14.2	3.3	0.4	0.4	0.5	0.6	0.4	0.5
Hodgkin lymphoma	4.8	4.8	1.9	3.2	2.9	1.4	0.4	0.4	0.5	1.0	0.8	0.7
Non-Hodgkin lymphomas	22.2	21.7	4.1	23.0	16.6	3.1	11.2	11.1	2.9	7.8	5.2	1.7
Multiple myeloma	7.2	7.2	2.4	6.4	4.3	1.5	5.0	4.9	1.9	6.0	4.0	1.5
Leukemias	20.6	20.6	4.0	14.6	10.9	2.6	13.4	13.6	3.3	9.2	6.1	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003

Cattaraugus

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	248.4	599.0	33.7	225.8	447.6	26.5	101.8	253.9	22.4	96.4	180.0	16.3
Oral cavity and pharynx	7.6	18.4	6.0	1.8	3.4	2.2	1.2	3.0	2.4	0.6	1.1	1.2
Esophagus	4.8	11.8	4.8	1.2	2.3	1.9	4.0	9.4	4.1	1.4	2.5	1.9
Stomach	3.6	8.3	3.8	1.8	3.4	2.3	1.2	3.0	2.5	1.2	2.4	1.9
Colorectal	31.4	75.9	12.0	24.8	46.1	8.2	13.0	33.6	8.3	10.2	19.0	5.3
Colon excluding rectum	20.0	48.3	9.6	18.8	34.7	7.1	11.2	28.8	7.7	8.8	16.1	4.8
Rectum & rectosigmoid	11.4	27.7	7.3	6.0	11.3	4.1	1.8	4.8	3.2	1.4	2.9	2.1
Liver / intrahepatic bile duct	1.6	3.9	2.7	1.8	3.5	2.3	1.6	3.6	2.5	1.2	2.2	1.8
Pancreas	5.4	12.8	4.8	3.8	7.0	3.2	5.8	14.1	5.2	3.8	6.8	3.1
Larynx	2.6	6.1	3.4	0.8	1.6	1.6	1.2	3.0	2.4	0.2	0.4	0.9
Lung and bronchus	39.6	96.1	13.6	36.8	70.0	10.2	26.8	66.1	11.4	26.0	49.1	8.5
Melanoma of the skin	11.4	27.8	7.3	6.6	14.0	4.9	1.8	4.2	2.7	1.4	2.8	2.1
Female breast				65.6	134.0	14.7				14.0	26.4	6.3
Cervix uteri				5.6	13.4	5.0				2.4	5.2	3.0
Corpus uterus and NOS				16.6	33.8	7.3				2.0	3.7	2.4
Ovary				6.2	11.7	4.2				5.4	10.2	3.9
Prostate	68.2	162.0	17.4				11.0	29.4	7.9			
Testis	2.8	7.4	3.9				0.2	0.5	1.0			
Urinary bladder (incl. in situ)	20.8	49.6	9.6	6.0	11.0	4.0	2.4	6.1	3.5	0.8	1.5	1.5
Kidney and renal pelvis	5.6	13.2	4.9	3.2	6.6	3.3	2.4	5.6	3.2	1.4	2.6	2.0
Brain and other nervous system	3.6	8.8	4.1	5.2	10.6	4.2	2.8	6.5	3.4	2.8	5.6	3.0
Thyroid	1.8	4.7	3.1	5.6	12.5	4.7	0.0	0.0	0.0	0.4	0.6	0.9
Hodgkin lymphoma	1.2	2.9	2.3	0.8	1.9	1.9	0.2	0.4	0.8	0.2	0.4	0.8
Non-Hodgkin lymphomas	9.4	22.5	6.5	9.8	19.2	5.5	4.4	10.9	4.6	3.8	7.2	3.3
Multiple myeloma	3.2	8.6	4.3	2.0	3.8	2.4	2.8	7.5	4.0	1.8	3.2	2.1
Leukemias	8.2	19.8	6.1	4.2	8.4	3.7	4.8	11.3	4.5	3.0	4.9	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Cayuga

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	215.0	541.6	32.6	213.6	445.8	27.2	90.4	233.7	21.7	83.4	160.0	15.7
Oral cavity and pharynx	4.2	10.0	4.3	4.6	9.6	4.0	1.8	4.4	2.9	1.2	2.6	2.1
Esophagus	3.2	7.9	3.9	0.6	1.2	1.4	3.8	9.4	4.2	0.8	1.6	1.6
Stomach	4.2	10.6	4.6	3.2	5.9	2.9	1.0	2.8	2.5	1.4	2.8	2.1
Colorectal	27.0	68.9	11.7	25.0	49.0	8.8	9.2	23.6	6.9	9.8	18.1	5.2
Colon excluding rectum	19.4	49.9	10.0	18.8	36.8	7.6	7.6	19.5	6.2	8.2	15.2	4.8
Rectum & rectosigmoid	7.6	19.0	6.1	6.2	12.2	4.4	1.6	4.1	2.8	1.6	2.9	2.1
Liver / intrahepatic bile duct	2.6	6.7	3.7	1.0	1.9	1.7	2.4	6.2	3.5	1.0	1.7	1.5
Pancreas	4.2	10.6	4.6	5.0	9.1	3.6	4.6	11.6	4.8	5.0	9.2	3.7
Larynx	3.2	8.3	4.1	0.0	0.0	0.0	1.0	2.8	2.5	0.0	0.0	0.0
Lung and bronchus	37.2	93.8	13.5	35.4	73.7	11.0	27.4	69.5	11.7	25.4	51.3	9.1
Melanoma of the skin	5.6	13.8	5.2	4.2	9.5	4.1	1.8	4.5	2.9	0.0	0.0	0.0
Female breast				59.8	127.3	14.6				9.0	17.5	5.2
Cervix uteri				3.6	8.7	4.1				0.8	1.8	1.8
Corpus uterus and NOS				12.4	27.1	6.8				1.8	3.2	2.2
Ovary				5.6	11.3	4.3				4.0	7.3	3.3
Prostate	58.2	145.9	16.8				8.2	22.8	7.0			
Testis	2.0	4.7	2.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	15.6	41.5	9.3	6.8	13.6	4.6	4.0	11.2	5.0	1.2	1.9	1.6
Kidney and renal pelvis	9.4	23.2	6.7	5.0	10.2	4.0	2.8	7.5	4.0	1.0	1.8	1.6
Brain and other nervous system	3.2	7.6	3.7	3.0	6.5	3.4	2.6	6.3	3.4	1.6	3.6	2.5
Thyroid	1.8	4.2	2.8	7.2	18.3	6.0	0.2	0.5	1.0	0.0	0.0	0.0
Hodgkin lymphoma	1.4	3.3	2.5	0.6	1.5	1.7	0.6	1.5	1.7	0.4	0.9	1.3
Non-Hodgkin lymphomas	9.8	24.5	6.9	9.4	18.9	5.5	4.8	12.4	5.0	3.6	6.6	3.1
Multiple myeloma	1.8	4.5	3.0	2.8	5.2	2.8	1.8	4.7	3.1	2.2	3.8	2.3
Leukemias	4.4	11.2	4.7	4.4	9.3	4.0	2.6	6.8	3.7	1.8	3.3	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003

Chautauqua

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	450.8	629.9	26.1	394.6	439.9	19.9	169.2	241.3	16.3	165.8	168.7	11.8
Oral cavity and pharynx	11.2	15.6	4.1	4.4	4.9	2.1	2.6	3.8	2.1	0.6	0.5	0.6
Esophagus	7.8	10.7	3.4	2.4	2.3	1.3	7.2	9.9	3.2	2.6	2.4	1.3
Stomach	6.4	9.0	3.1	4.6	4.7	1.9	3.0	4.2	2.1	2.4	2.3	1.3
Colorectal	44.4	62.0	8.2	49.6	49.6	6.3	15.4	21.7	4.9	19.6	18.7	3.8
Colon excluding rectum	29.0	40.7	6.6	38.8	38.4	5.5	13.6	19.1	4.6	17.8	17.0	3.6
Rectum & rectosigmoid	15.4	21.3	4.8	10.8	11.3	3.1	1.8	2.6	1.7	1.8	1.7	1.1
Liver / intrahepatic bile duct	3.4	4.9	2.3	3.2	3.5	1.7	3.2	4.6	2.3	3.6	3.5	1.7
Pancreas	8.4	11.9	3.6	10.4	10.5	2.9	8.0	11.5	3.6	9.0	8.9	2.7
Larynx	6.2	8.6	3.0	1.6	1.8	1.3	2.4	3.3	1.9	0.6	0.7	0.8
Lung and bronchus	62.2	86.2	9.6	49.4	54.1	6.9	51.6	72.0	8.8	42.8	45.7	6.2
Melanoma of the skin	14.2	20.2	4.7	11.4	14.0	3.7	3.4	4.7	2.2	1.0	0.9	0.8
Female breast				127.4	147.6	11.7				28.4	30.0	5.1
Cervix uteri				4.6	5.9	2.4				1.6	1.8	1.3
Corpus uterus and NOS				21.2	24.9	4.8				2.0	2.1	1.3
Ovary				15.2	17.5	4.0				9.0	9.5	2.8
Prostate	168.4	233.1	15.8				19.0	28.9	5.8			
Testis	3.0	4.8	2.5				0.2	0.3	0.7			
Urinary bladder (incl. in situ)	34.4	48.5	7.3	12.8	13.2	3.3	8.0	11.5	3.6	2.6	2.6	1.5
Kidney and renal pelvis	10.6	14.7	4.0	6.8	7.3	2.5	4.4	6.3	2.6	2.2	2.1	1.3
Brain and other nervous system	4.4	6.0	2.5	4.2	5.5	2.4	3.6	4.9	2.3	2.8	3.5	1.8
Thyroid	1.8	2.5	1.7	7.8	10.6	3.4	0.6	0.9	1.0	0.6	0.6	0.7
Hodgkin lymphoma	2.8	4.1	2.2	2.6	3.5	1.9	0.2	0.3	0.7	0.6	0.7	0.8
Non-Hodgkin lymphomas	16.4	23.4	5.1	14.0	15.2	3.7	6.6	9.7	3.3	5.0	4.6	1.8
Multiple myeloma	6.2	8.7	3.1	4.6	4.7	2.0	2.4	3.5	2.0	2.8	2.8	1.5
Leukemias	10.4	14.8	4.0	8.8	9.1	2.8	5.6	8.1	3.0	6.8	6.5	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.

Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Chemung

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	290.4	642.9	33.4	249.4	424.2	24.2	118.6	272.1	22.2	117.8	186.8	15.5
Oral cavity and pharynx	7.8	16.5	5.2	4.0	6.5	2.9	1.4	3.0	2.2	0.8	1.0	1.0
Esophagus	4.2	9.0	3.8	1.0	1.7	1.5	4.6	10.1	4.2	1.6	2.4	1.7
Stomach	5.4	12.7	4.9	1.4	2.3	1.7	2.6	6.1	3.4	1.2	1.8	1.5
Colorectal	30.0	66.9	10.8	26.6	41.3	7.2	10.8	25.2	6.8	11.6	17.3	4.5
Colon excluding rectum	21.8	48.5	9.2	18.2	27.7	5.8	6.6	15.8	5.5	8.6	12.9	4.0
Rectum & rectosigmoid	8.2	18.4	5.7	8.4	13.6	4.2	4.2	9.4	4.1	3.0	4.3	2.2
Liver / intrahepatic bile duct	3.0	6.6	3.4	2.2	3.7	2.2	3.0	6.9	3.5	1.6	2.5	1.7
Pancreas	5.0	11.4	4.5	11.0	16.9	4.6	6.2	14.1	5.0	10.6	16.2	4.5
Larynx	3.8	8.1	3.6	1.2	1.7	1.4	0.6	1.3	1.4	0.6	0.9	1.0
Lung and bronchus	49.6	109.8	13.8	38.2	63.9	9.2	39.8	89.5	12.6	31.6	52.9	8.4
Melanoma of the skin	8.4	18.2	5.5	7.6	14.7	4.8	2.0	4.8	3.0	1.2	2.3	1.9
Female breast				68.8	122.1	13.2				15.8	25.4	5.8
Cervix uteri				2.8	6.2	3.3				1.0	1.8	1.6
Corpus uterus and NOS				13.2	23.4	5.7				2.0	3.4	2.2
Ovary				8.4	14.9	4.6				6.4	10.5	3.7
Prostate	82.4	181.9	17.7				12.8	31.9	8.0			
Testis	3.2	7.4	3.7				0.2	0.5	0.9			
Urinary bladder (incl. in situ)	27.4	61.3	10.4	7.6	13.1	4.3	3.4	9.1	4.4	2.0	2.8	1.7
Kidney and renal pelvis	11.4	25.0	6.5	6.6	10.7	3.7	2.0	4.3	2.6	1.6	2.4	1.7
Brain and other nervous system	6.4	13.8	4.8	3.8	6.7	3.1	3.8	8.1	3.6	1.8	3.2	2.1
Thyroid	1.8	3.9	2.5	3.4	7.3	3.5	0.0	0.0	0.0	0.4	0.6	0.9
Hodgkin lymphoma	1.8	4.0	2.6	0.8	1.5	1.6	0.4	0.9	1.2	0.2	0.3	0.6
Non-Hodgkin lymphomas	10.8	23.5	6.3	9.6	16.1	4.7	3.6	8.1	3.8	5.2	7.8	3.1
Multiple myeloma	4.2	9.0	3.8	2.6	4.1	2.3	1.8	3.9	2.5	2.2	3.3	2.0
Leukemias	7.6	17.7	5.7	9.0	14.5	4.4	4.4	10.0	4.3	5.4	7.6	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Chenango

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	153.6	573.3	40.8	136.0	431.2	32.9	63.0	242.9	27.0	58.0	170.4	19.9
Oral cavity and pharynx	6.4	23.2	8.1	2.4	8.1	4.7	1.2	4.5	3.6	0.4	1.1	1.6
Esophagus	3.4	12.3	5.9	1.2	3.9	3.1	2.2	8.1	4.8	0.8	2.2	2.2
Stomach	2.4	9.0	5.1	1.0	2.9	2.6	0.8	3.3	3.2	0.4	1.2	1.6
Colorectal	17.8	67.6	14.1	15.4	46.4	10.5	6.0	23.0	8.3	8.2	23.4	7.3
Colon excluding rectum	11.8	45.3	11.7	11.0	31.9	8.5	5.2	20.2	7.8	7.0	19.7	6.6
Rectum & rectosigmoid	6.0	22.2	8.0	4.4	14.5	6.1	0.8	2.9	2.8	1.2	3.7	3.0
Liver / intrahepatic bile duct	1.4	5.2	3.9	0.8	2.6	2.6	1.4	5.2	3.9	1.0	3.1	2.8
Pancreas	1.8	6.3	4.1	5.6	15.7	5.9	2.2	7.8	4.6	6.2	17.2	6.1
Larynx	1.0	3.8	3.3	0.6	2.0	2.3	0.8	3.2	3.1	0.2	0.7	1.3
Lung and bronchus	24.2	90.2	16.2	15.8	48.7	10.8	17.6	65.1	13.7	11.2	33.5	8.9
Melanoma of the skin	5.2	19.6	7.6	3.2	10.6	5.2	1.6	6.1	4.3	1.0	3.5	3.1
Female breast				37.0	120.4	17.6				8.6	26.0	7.9
Cervix uteri				2.8	9.9	5.3				1.6	4.9	3.4
Corpus uterus and NOS				9.8	30.8	8.7				1.4	4.5	3.4
Ovary				4.6	14.8	6.2				3.0	8.8	4.5
Prostate	43.8	162.7	21.7				10.2	42.7	11.8			
Testis	1.2	4.8	3.9				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	14.0	51.1	12.0	4.0	11.4	5.1	3.6	14.2	6.6	1.0	2.8	2.5
Kidney and renal pelvis	5.0	18.3	7.2	2.6	8.7	4.8	1.6	5.8	4.0	1.0	2.9	2.6
Brain and other nervous system	1.0	4.2	3.7	2.0	7.2	4.5	0.8	3.1	3.1	0.4	1.4	1.9
Thyroid	1.0	3.8	3.4	3.8	14.9	6.8	0.0	0.0	0.0	0.2	0.4	0.9
Hodgkin lymphoma	0.4	1.4	2.0	0.6	2.0	2.3	0.2	0.7	1.4	0.2	0.8	1.6
Non-Hodgkin lymphomas	7.4	28.0	9.1	7.0	21.9	7.4	3.4	13.0	6.3	2.8	7.7	4.1
Multiple myeloma	2.0	7.3	4.5	1.6	4.5	3.1	1.4	5.3	3.9	1.2	3.0	2.4
Leukemias	5.6	22.1	8.2	4.4	14.0	6.0	1.6	6.1	4.2	1.2	3.5	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Clinton

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	222.4	639.9	38.9	193.6	453.4	28.7	81.0	252.7	25.6	77.0	176.9	17.7
Oral cavity and pharynx	4.4	11.3	4.8	1.8	4.2	2.8	0.8	2.7	2.8	0.4	0.9	1.2
Esophagus	3.8	10.7	5.0	0.6	1.5	1.7	2.6	7.4	4.1	0.6	1.4	1.6
Stomach	3.8	10.8	5.0	3.0	6.7	3.4	1.4	3.9	2.9	1.2	2.7	2.2
Colorectal	25.8	75.4	13.5	26.8	60.9	10.3	8.6	27.6	8.6	8.2	18.2	5.6
Colon excluding rectum	18.2	54.5	11.6	22.4	50.4	9.4	6.4	21.5	7.8	7.2	15.9	5.2
Rectum & rectosigmoid	7.6	20.9	6.7	4.4	10.5	4.4	2.2	6.1	3.7	1.0	2.4	2.1
Liver / intrahepatic bile duct	3.6	10.8	5.2	1.2	2.9	2.3	1.8	5.8	3.9	1.4	3.3	2.5
Pancreas	6.2	19.5	7.1	5.0	11.4	4.5	4.6	14.9	6.4	3.0	6.8	3.4
Larynx	4.0	12.2	5.6	1.2	2.6	2.1	0.8	2.4	2.4	0.2	0.4	0.9
Lung and bronchus	38.4	114.2	16.7	31.0	73.3	11.6	25.2	74.3	13.3	19.4	45.7	9.1
Melanoma of the skin	6.4	16.7	6.0	3.0	7.2	3.7	1.6	4.4	3.1	0.2	0.4	0.9
Female breast				53.8	127.3	15.3				9.0	20.5	6.0
Cervix uteri				1.8	4.4	2.8				1.4	3.4	2.6
Corpus uterus and NOS				9.2	21.7	6.3				1.4	3.1	2.3
Ovary				6.6	15.7	5.4				5.2	12.1	4.7
Prostate	57.2	162.6	19.4				7.8	30.7	9.9			
Testis	2.8	6.2	3.2				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	20.8	58.8	11.6	7.4	17.0	5.5	2.6	8.0	4.5	2.2	4.6	2.7
Kidney and renal pelvis	8.0	22.8	7.3	6.4	14.8	5.1	2.2	6.1	3.7	2.8	6.2	3.3
Brain and other nervous system	3.6	9.1	4.2	3.0	7.0	3.6	2.0	4.9	3.1	1.4	3.1	2.3
Thyroid	0.8	1.9	1.8	3.0	7.6	3.9	0.0	0.0	0.0	0.2	0.4	0.7
Hodgkin lymphoma	1.2	2.6	2.1	0.6	1.6	1.8	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	9.6	27.3	8.0	8.8	20.2	6.0	4.6	14.0	5.9	3.8	8.7	3.9
Multiple myeloma	3.4	10.9	5.4	2.4	5.5	3.1	2.2	7.2	4.4	1.6	3.5	2.5
Leukemias	7.2	22.5	7.6	3.8	8.9	4.0	3.8	11.0	5.1	1.8	4.5	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Columbia

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	202.6	572.2	35.6	180.4	431.1	28.8	81.0	235.2	23.1	80.0	179.4	18.0
Oral cavity and pharynx	6.4	17.4	6.0	2.6	6.3	3.5	1.2	3.4	2.8	1.0	2.1	1.9
Esophagus	3.8	10.5	4.8	1.0	1.9	1.7	4.2	11.4	4.9	1.0	2.0	1.8
Stomach	2.0	6.0	3.7	1.6	3.5	2.5	2.0	5.7	3.6	1.0	2.1	1.9
Colorectal	19.6	55.0	11.0	24.2	52.8	9.7	7.6	23.0	7.4	9.6	19.9	5.8
Colon excluding rectum	13.0	36.9	9.0	19.8	41.8	8.4	6.2	19.1	6.8	8.4	17.4	5.5
Rectum & rectosigmoid	6.6	18.1	6.2	4.4	11.0	4.8	1.4	3.8	2.9	1.2	2.5	2.0
Liver / intrahepatic bile duct	2.2	6.1	3.6	1.8	4.0	2.6	2.2	6.1	3.6	0.6	1.3	1.5
Pancreas	4.8	13.3	5.4	6.6	14.3	5.0	4.0	11.2	4.9	6.6	13.9	4.8
Larynx	2.2	6.0	3.6	0.2	0.5	1.0	0.4	1.0	1.5	0.2	0.5	1.0
Lung and bronchus	33.4	94.8	14.5	24.6	58.7	10.5	22.4	64.0	12.0	17.8	41.6	8.8
Melanoma of the skin	5.2	15.9	6.2	2.4	6.4	3.7	2.0	5.5	3.4	1.2	2.8	2.2
Female breast				50.4	123.0	15.4				12.4	27.1	6.9
Cervix uteri				3.6	11.0	5.3				1.0	2.5	2.2
Corpus uterus and NOS				12.2	28.9	7.3				2.2	4.4	2.6
Ovary				9.0	21.3	6.3				4.6	10.5	4.4
Prostate	62.4	170.8	19.1				9.8	30.0	8.5			
Testis	2.2	7.9	4.7				0.2	0.6	1.3			
Urinary bladder (incl. in situ)	15.8	45.2	10.1	4.6	10.5	4.3	3.2	9.7	4.8	0.8	1.7	1.7
Kidney and renal pelvis	6.2	17.8	6.3	3.2	8.1	4.1	2.4	6.9	4.0	0.8	1.9	1.9
Brain and other nervous system	2.6	8.1	4.5	2.8	7.3	3.9	1.4	4.2	3.1	2.4	6.8	3.9
Thyroid	2.4	7.3	4.2	2.4	6.8	4.0	0.2	0.5	1.0	0.2	0.5	1.0
Hodgkin lymphoma	1.4	4.3	3.3	0.8	2.9	2.9	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	9.6	26.7	7.6	6.8	16.5	5.7	3.0	8.5	4.3	1.6	3.9	2.8
Multiple myeloma	2.4	7.3	4.2	1.2	2.8	2.3	1.2	3.6	2.9	1.2	2.8	2.2
Leukemias	5.4	15.6	5.9	4.2	11.4	5.0	2.6	8.0	4.4	3.0	7.8	4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Cortland

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	118.6	553.8	45.0	109.8	414.8	35.1	49.6	245.2	30.9	50.6	181.5	22.7
Oral cavity and pharynx	2.8	12.4	6.5	1.6	6.0	4.2	1.0	4.3	3.8	0.6	2.2	2.5
Esophagus	4.0	18.8	8.3	0.0	0.0	0.0	4.0	18.8	8.3	0.4	1.4	1.9
Stomach	1.2	5.2	4.2	1.0	3.8	3.4	0.6	2.6	3.0	0.4	1.5	2.1
Colorectal	16.0	76.9	16.9	15.0	54.4	12.5	7.0	34.7	11.7	7.4	26.4	8.6
Colon excluding rectum	11.6	55.6	14.4	10.2	36.6	10.2	5.0	24.4	9.7	6.4	23.1	8.1
Rectum & rectosigmoid	4.4	21.3	9.0	4.8	17.8	7.2	2.0	10.3	6.5	1.0	3.3	3.0
Liver / intrahepatic bile duct	1.2	5.5	4.5	0.4	1.4	2.0	1.2	6.2	5.0	0.4	1.6	2.2
Pancreas	2.4	12.5	7.2	3.8	13.9	6.4	2.2	11.6	7.0	3.8	13.9	6.3
Larynx	1.4	6.0	4.5	0.2	0.8	1.6	0.0	0.0	0.0	0.2	0.6	1.2
Lung and bronchus	19.2	89.7	18.1	15.8	59.1	13.2	14.2	68.5	16.1	11.0	41.3	11.0
Melanoma of the skin	2.6	11.8	6.5	1.2	4.5	3.7	0.2	1.0	2.0	0.4	1.5	2.1
Female breast				32.6	126.4	19.6				5.8	19.7	7.3
Cervix uteri				2.6	11.0	6.0				1.2	4.9	4.0
Corpus uterus and NOS				8.8	33.3	9.9				1.8	6.2	4.2
Ovary				3.6	13.7	6.4				3.4	12.7	6.1
Prostate	35.6	165.5	24.5				4.2	22.9	9.9			
Testis	1.6	7.5	5.2				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	8.4	39.6	12.1	1.8	6.8	4.5	1.4	6.8	5.1	0.4	1.4	1.9
Kidney and renal pelvis	3.8	17.4	7.9	2.0	8.0	5.0	0.6	3.5	4.1	0.8	2.7	2.7
Brain and other nervous system	1.6	7.3	5.1	1.0	3.6	3.3	1.2	5.6	4.5	1.0	3.8	3.4
Thyroid	1.2	5.2	4.2	1.8	7.9	5.1	0.2	1.0	2.0	0.0	0.0	0.0
Hodgkin lymphoma	0.8	2.8	2.8	0.8	3.2	3.2	0.4	1.5	2.1	0.0	0.0	0.0
Non-Hodgkin lymphomas	3.8	16.3	7.4	4.0	14.4	6.4	1.8	8.4	5.5	2.2	7.2	4.3
Multiple myeloma	2.4	12.2	7.0	1.2	4.2	3.4	1.4	7.7	5.8	1.0	3.0	2.7
Leukemias	3.2	14.8	7.4	3.0	11.6	6.0	2.6	13.4	7.4	2.0	6.9	4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Delaware

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	158.0	536.6	38.0	148.8	440.1	32.8	65.0	223.3	24.6	59.0	158.5	18.6
Oral cavity and pharynx	5.2	20.0	7.8	2.4	6.9	4.1	0.8	3.1	3.0	0.0	0.0	0.0
Esophagus	2.4	8.1	4.6	1.2	3.3	2.6	2.4	7.8	4.4	1.2	3.4	2.7
Stomach	2.2	7.4	4.4	1.6	4.3	3.0	2.0	7.0	4.4	0.8	1.9	1.9
Colorectal	22.4	75.7	14.2	21.4	54.4	10.6	9.8	33.5	9.5	8.4	20.2	6.3
Colon excluding rectum	16.4	56.0	12.3	16.2	40.4	9.0	7.4	25.1	8.2	7.0	16.0	5.4
Rectum & rectosigmoid	6.0	19.7	7.1	5.2	13.9	5.5	2.4	8.3	4.8	1.4	4.2	3.2
Liver / intrahepatic bile duct	2.0	6.6	4.1	0.4	1.1	1.5	1.2	3.7	3.0	1.0	2.8	2.4
Pancreas	1.6	5.2	3.6	3.4	8.3	4.0	0.8	2.4	2.4	4.0	10.0	4.4
Larynx	1.0	3.3	2.9	0.4	1.1	1.5	0.8	2.7	2.7	0.0	0.0	0.0
Lung and bronchus	25.0	83.8	14.9	19.6	57.2	11.6	19.2	64.1	13.0	14.2	41.1	9.8
Melanoma of the skin	4.4	15.4	6.6	3.6	12.8	6.1	1.0	4.2	3.7	0.2	0.6	1.1
Female breast				39.4	122.7	17.7				7.2	20.3	6.8
Cervix uteri				3.2	12.4	6.3				1.6	4.0	2.9
Corpus uterus and NOS				10.2	29.6	8.3				1.2	3.2	2.8
Ovary				5.6	18.2	6.9				3.2	9.2	4.5
Prostate	42.6	138.9	18.8				6.4	23.7	8.4			
Testis	2.2	10.1	6.1				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	16.6	55.3	12.0	6.8	18.6	6.5	4.4	14.7	6.2	1.0	2.4	2.1
Kidney and renal pelvis	2.8	9.7	5.2	4.0	11.5	5.3	1.6	5.3	3.7	1.2	3.0	2.4
Brain and other nervous system	2.6	9.2	5.1	1.0	2.7	2.4	2.0	6.8	4.3	1.2	3.7	3.0
Thyroid	0.8	3.5	3.5	2.8	10.5	5.7	0.0	0.0	0.0	0.2	0.5	1.1
Hodgkin lymphoma	1.2	5.9	4.9	0.4	2.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	7.4	24.8	8.1	5.0	14.2	5.7	2.6	8.5	4.7	2.2	6.0	3.8
Multiple myeloma	0.6	2.0	2.2	1.2	3.1	2.7	0.8	2.9	2.9	0.2	0.4	0.7
Leukemias	6.2	21.1	7.5	5.0	15.7	6.4	2.6	9.9	5.5	3.8	10.3	4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003**

Dutchess

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	740.4	591.3	19.5	684.6	445.6	15.0	282.0	243.9	13.1	269.2	170.9	9.2
Oral cavity and pharynx	22.2	17.1	3.3	9.6	6.3	1.8	5.8	4.5	1.7	2.6	1.6	0.9
Esophagus	9.8	7.9	2.2	3.8	2.4	1.1	8.4	6.8	2.1	3.6	2.3	1.1
Stomach	14.6	12.2	2.9	6.0	3.8	1.4	8.4	7.8	2.4	5.6	3.5	1.3
Colorectal	79.6	65.5	6.6	81.4	51.6	5.0	26.6	22.7	4.0	33.0	20.2	3.1
Colon excluding rectum	58.0	48.9	5.8	62.0	39.3	4.4	21.2	18.5	3.6	27.8	17.0	2.8
Rectum & rectosigmoid	21.6	16.6	3.2	19.4	12.4	2.5	5.4	4.2	1.6	5.2	3.2	1.2
Liver / intrahepatic bile duct	10.0	7.8	2.2	5.2	3.2	1.2	6.2	5.0	1.8	3.8	2.4	1.1
Pancreas	16.4	13.4	3.0	17.6	11.2	2.3	14.6	12.1	2.8	12.8	8.1	2.0
Larynx	7.8	6.0	1.9	3.4	2.2	1.1	2.8	2.3	1.3	1.4	0.9	0.7
Lung and bronchus	112.0	91.3	7.7	91.8	59.7	5.5	85.0	70.4	6.8	66.4	42.7	4.6
Melanoma of the skin	19.0	14.7	3.0	12.4	8.2	2.0	4.6	3.7	1.5	3.2	2.1	1.0
Female breast				216.4	141.4	8.4				43.6	27.8	3.7
Cervix uteri				11.0	7.5	2.0				3.2	2.1	1.0
Corpus uterus and NOS				47.4	30.9	3.9				8.2	5.3	1.6
Ovary				21.4	14.1	2.7				14.6	9.4	2.2
Prostate	233.6	182.8	10.7				30.2	30.3	4.9			
Testis	6.8	4.7	1.6				0.2	0.1	0.3			
Urinary bladder (incl. in situ)	57.4	48.1	5.7	17.4	11.1	2.3	12.6	11.7	3.0	4.0	2.4	1.1
Kidney and renal pelvis	23.4	17.7	3.3	15.4	10.1	2.3	6.8	5.5	1.9	4.0	2.6	1.1
Brain and other nervous system	10.6	8.0	2.2	8.4	5.8	1.8	6.2	4.9	1.8	4.6	3.1	1.3
Thyroid	7.2	4.9	1.6	20.2	13.9	2.7	0.2	0.1	0.2	0.8	0.5	0.5
Hodgkin lymphoma	4.8	3.4	1.4	6.0	4.2	1.5	1.0	0.8	0.7	0.8	0.6	0.6
Non-Hodgkin lymphomas	30.0	23.2	3.8	23.6	15.3	2.8	9.2	7.7	2.3	9.2	5.7	1.7
Multiple myeloma	8.6	7.1	2.2	6.8	4.4	1.5	5.4	4.8	1.9	4.8	3.1	1.2
Leukemias	19.8	16.8	3.4	15.2	9.9	2.3	15.0	12.8	3.0	10.4	6.7	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Erie

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2746.4	589.4	9.9	2737.0	435.7	7.5	1147.0	251.0	6.6	1182.2	174.4	4.5
Oral cavity and pharynx	70.2	14.9	1.6	38.8	6.2	0.9	18.0	3.9	0.8	13.4	2.0	0.5
Esophagus	43.6	9.3	1.2	14.2	2.0	0.5	36.8	7.9	1.2	13.6	1.9	0.5
Stomach	56.4	12.2	1.4	38.0	5.4	0.8	33.0	7.2	1.1	23.2	3.2	0.6
Colorectal	320.0	68.9	3.4	336.0	49.2	2.4	112.8	25.1	2.1	123.4	17.5	1.4
Colon excluding rectum	218.4	47.2	2.8	253.0	36.7	2.1	98.6	21.8	1.9	111.2	15.7	1.3
Rectum & rectosigmoid	101.6	21.7	1.9	83.0	12.6	1.2	14.2	3.2	0.8	12.2	1.7	0.4
Liver / intrahepatic bile duct	33.2	7.0	1.1	16.6	2.6	0.6	27.2	5.8	1.0	17.0	2.5	0.5
Pancreas	66.8	14.3	1.5	78.8	11.5	1.2	63.2	13.6	1.5	71.8	10.3	1.1
Larynx	41.2	8.7	1.2	11.8	1.9	0.5	13.6	2.9	0.7	3.8	0.6	0.3
Lung and bronchus	459.0	97.7	4.0	413.0	63.5	2.8	374.2	80.2	3.7	319.2	48.1	2.4
Melanoma of the skin	67.6	14.4	1.5	53.4	9.3	1.1	12.8	2.7	0.7	12.6	1.9	0.5
Female breast				780.8	129.8	4.1				187.8	28.7	1.9
Cervix uteri				36.6	6.9	1.0				11.8	2.1	0.5
Corpus uterus and NOS				164.0	27.1	1.9				28.2	4.2	0.7
Ovary				90.8	14.7	1.4				62.0	9.3	1.1
Prostate	802.2	170.8	5.3				121.4	28.3	2.3			
Testis	20.6	4.7	0.9				1.2	0.3	0.2			
Urinary bladder (incl. in situ)	196.6	42.9	2.7	84.0	12.3	1.2	36.6	8.4	1.2	21.6	2.9	0.6
Kidney and renal pelvis	90.8	19.4	1.8	58.6	9.1	1.1	28.0	6.1	1.0	16.6	2.4	0.5
Brain and other nervous system	41.8	9.0	1.2	37.6	6.5	1.0	28.6	6.1	1.0	19.4	3.1	0.6
Thyroid	19.4	4.2	0.8	67.8	13.3	1.4	1.6	0.3	0.2	3.4	0.5	0.2
Hodgkin lymphoma	15.2	3.4	0.8	15.0	3.0	0.7	2.0	0.4	0.3	2.6	0.5	0.3
Non-Hodgkin lymphomas	108.4	23.6	2.0	105.2	16.5	1.4	43.6	9.6	1.3	45.2	6.5	0.9
Multiple myeloma	38.4	8.3	1.2	34.2	5.0	0.8	21.6	4.7	0.9	21.6	3.1	0.6
Leukemias	89.6	19.8	1.8	71.6	10.7	1.1	47.2	10.4	1.3	36.6	5.1	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Essex

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	123.6	587.6	46.9	109.0	434.3	37.4	51.6	258.1	32.0	47.0	173.5	22.7
Oral cavity and pharynx	4.8	21.8	8.8	2.2	7.8	4.7	0.6	2.9	3.3	1.0	3.7	3.3
Esophagus	3.0	13.9	7.0	0.8	2.8	2.8	2.6	11.8	6.5	1.0	3.8	3.4
Stomach	2.8	12.8	6.8	2.2	7.7	4.7	0.4	1.8	2.5	0.6	2.0	2.3
Colorectal	16.8	80.5	17.4	14.6	54.3	12.8	7.8	38.2	12.1	8.2	29.5	9.3
Colon excluding rectum	11.2	53.4	14.1	11.6	42.9	11.3	5.4	26.6	10.1	6.8	23.3	8.0
Rectum & rectosigmoid	5.6	27.0	10.1	3.0	11.4	5.9	2.4	11.6	6.6	1.4	6.2	4.7
Liver / intrahepatic bile duct	1.2	6.4	5.2	0.6	2.3	2.6	0.4	1.9	2.6	0.8	3.0	2.9
Pancreas	3.0	15.1	7.8	2.0	6.6	4.2	1.8	8.8	5.8	2.0	6.6	4.2
Larynx	1.2	5.3	4.2	0.2	0.8	1.6	0.8	3.4	3.3	0.2	0.8	1.6
Lung and bronchus	20.4	97.9	19.3	17.6	68.2	14.5	14.2	68.5	16.2	13.6	52.4	12.7
Melanoma of the skin	6.0	28.1	10.2	3.6	17.5	8.3	1.4	6.4	4.8	0.8	3.3	3.4
Female breast				28.8	120.6	20.1				4.2	15.3	6.7
Cervix uteri				2.0	9.3	6.0				0.4	1.4	1.9
Corpus uterus and NOS				5.6	23.1	8.7				1.2	4.4	3.6
Ovary				4.2	17.5	7.7				2.2	8.7	5.3
Prostate	30.8	145.9	23.3				6.6	37.1	12.9			
Testis	1.4	6.4	4.7				0.2	0.9	1.7			
Urinary bladder (incl. in situ)	9.2	43.8	12.8	3.2	12.0	6.0	1.0	5.0	4.5	0.4	1.3	1.8
Kidney and renal pelvis	2.8	12.7	6.7	0.6	1.9	2.1	0.8	4.1	4.1	1.0	3.7	3.3
Brain and other nervous system	1.6	7.6	5.3	2.2	8.9	5.4	0.8	3.7	3.6	1.2	4.9	3.9
Thyroid	0.4	1.7	2.4	2.0	10.2	6.4	0.2	1.0	2.0	0.0	0.0	0.0
Hodgkin lymphoma	0.6	2.8	3.1	0.4	2.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	4.6	21.1	8.7	4.0	14.0	6.2	2.4	11.5	6.6	2.0	7.3	4.7
Multiple myeloma	2.2	11.4	6.8	0.8	2.6	2.6	1.2	6.8	5.6	1.2	4.3	3.4
Leukemias	3.4	16.6	8.1	5.2	18.2	7.3	1.6	7.8	5.5	2.0	6.5	4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003

Franklin

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	152.8	671.4	48.5	133.4	480.3	36.9	52.8	244.8	30.1	50.6	168.7	21.1
Oral cavity and pharynx	3.8	17.0	7.8	2.4	8.9	5.1	1.2	5.1	4.2	1.0	3.1	2.7
Esophagus	2.6	10.8	6.0	1.2	4.5	3.6	2.0	8.9	5.6	0.6	2.3	2.6
Stomach	1.6	6.2	4.4	1.6	5.1	3.6	0.6	2.2	2.6	0.6	1.8	2.1
Colorectal	19.0	84.2	17.2	18.8	64.0	13.1	5.8	28.2	10.5	7.2	23.0	7.6
Colon excluding rectum	12.4	56.9	14.4	15.4	51.8	11.7	4.6	22.3	9.3	6.8	21.6	7.4
Rectum & rectosigmoid	6.6	27.3	9.4	3.4	12.3	5.9	1.2	5.8	4.8	0.4	1.4	2.0
Liver / intrahepatic bile duct	2.4	10.1	5.8	1.8	6.0	4.0	1.2	5.7	4.6	0.6	1.8	2.0
Pancreas	2.8	11.8	6.3	2.0	6.6	4.2	2.0	8.8	5.5	1.6	5.2	3.7
Larynx	4.0	16.6	7.4	0.8	3.0	3.0	1.2	5.4	4.4	0.2	0.5	1.0
Lung and bronchus	28.4	128.1	21.4	19.2	67.7	13.7	19.4	90.1	18.2	13.6	48.1	11.5
Melanoma of the skin	4.4	17.4	7.4	3.6	14.3	6.7	0.6	3.1	3.7	0.2	0.6	1.2
Female breast				35.6	131.0	19.5				6.8	22.5	7.7
Cervix uteri				3.2	12.9	6.4				1.4	5.0	3.9
Corpus uterus and NOS				6.4	24.5	8.5				1.0	3.1	2.8
Ovary				6.0	22.9	8.3				3.6	12.5	5.8
Prostate	39.0	173.6	24.8				3.2	17.1	8.5			
Testis	1.4	4.2	3.2				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	10.8	51.1	13.8	5.8	20.4	7.5	2.4	12.6	7.2	1.0	3.4	3.1
Kidney and renal pelvis	4.4	18.2	7.8	3.6	13.1	6.1	1.6	7.8	5.5	0.4	1.4	2.0
Brain and other nervous system	2.4	8.6	5.0	1.4	5.0	3.7	1.0	4.0	3.6	0.4	1.5	2.1
Thyroid	0.6	2.6	2.9	2.0	8.3	5.2	0.2	0.8	1.6	0.6	1.8	2.1
Hodgkin lymphoma	2.0	6.5	4.1	0.4	1.6	2.2	0.2	0.6	1.3	0.0	0.0	0.0
Non-Hodgkin lymphomas	6.0	26.8	9.7	4.6	16.3	6.7	3.0	12.5	6.4	1.4	4.6	3.5
Multiple myeloma	2.4	10.7	6.2	0.8	2.6	2.6	1.8	8.2	5.4	0.2	0.7	1.3
Leukemias	6.6	29.7	10.3	3.0	9.9	5.2	2.2	9.3	5.7	1.4	4.2	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Fulton

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	165.4	572.9	39.2	160.0	445.1	31.7	75.8	267.0	27.0	64.4	164.6	18.5						
Oral cavity and pharynx	6.0	21.2	7.6	2.0	6.2	3.9	0.6	2.0	2.3	0.4	1.3	1.8						
Esophagus	3.4	11.4	5.4	0.8	2.0	2.0	2.8	9.8	5.1	0.8	2.0	2.0						
Stomach	2.4	8.5	4.8	1.0	2.6	2.4	0.2	0.7	1.4	0.8	2.3	2.3						
Colorectal	17.0	59.1	12.6	21.8	52.2	10.1	8.4	28.9	8.8	10.2	24.3	6.9						
Colon excluding rectum	10.2	35.8	9.9	16.4	37.4	8.3	6.6	22.8	7.8	9.2	21.7	6.4						
Rectum & rectosigmoid	6.8	23.4	7.9	5.4	14.7	5.7	1.8	6.1	4.0	1.0	2.6	2.3						
Liver / intrahepatic bile duct	2.2	7.5	4.4	0.8	1.7	1.7	1.0	3.4	3.0	1.4	3.7	2.8						
Pancreas	3.8	12.9	5.8	4.6	11.4	4.8	4.0	13.6	6.0	3.6	8.8	4.2						
Larynx	2.6	8.9	4.9	1.2	3.3	2.7	1.6	5.7	4.0	0.4	1.0	1.4						
Lung and bronchus	33.4	116.3	17.7	23.8	63.9	11.8	26.4	92.1	15.8	17.2	45.8	9.9						
Melanoma of the skin	3.0	10.8	5.5	3.2	10.6	5.3	0.8	2.9	2.9	0.2	0.6	1.2						
Female breast				44.6	130.2	17.4				9.4	25.4	7.5						
Cervix uteri				3.4	11.4	5.5				0.4	1.4	1.9						
Corpus uterus and NOS				10.0	30.1	8.5				2.6	6.3	3.5						
Ovary				4.4	12.2	5.2				1.8	4.1	2.8						
Prostate	46.0	157.9	20.5				8.4	31.1	9.5									
Testis	1.0	3.5	3.1				0.0	0.0	0.0									
Urinary bladder (incl. in situ)	14.6	49.8	11.5	8.8	23.9	7.3	1.6	5.6	3.9	1.4	3.1	2.4						
Kidney and renal pelvis	5.0	17.0	6.7	3.4	9.1	4.4	3.4	12.1	5.8	1.2	3.0	2.4						
Brain and other nervous system	2.6	9.3	5.0	1.0	3.1	2.9	2.2	7.6	4.5	0.6	1.5	1.8						
Thyroid	0.4	1.5	2.1	3.0	10.9	5.6	0.0	0.0	0.0	0.0	0.0	0.0						
Hodgkin lymphoma	1.0	3.8	3.3	1.4	5.1	3.8	0.0	0.0	0.0	0.6	1.9	2.2						
Non-Hodgkin lymphomas	4.8	16.9	6.8	7.0	19.7	6.7	1.8	6.3	4.1	2.8	7.9	4.3						
Multiple myeloma	2.2	7.5	4.4	1.2	2.9	2.4	1.6	5.8	4.0	0.4	0.7	0.9						
Leukemias	5.0	17.3	6.8	3.6	9.8	4.8	2.6	9.1	5.0	2.4	5.6	3.3						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Genesee

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	188.2	638.2	41.1	172.0	474.3	32.2	69.4	242.7	25.9	65.2	165.5	18.3
Oral cavity and pharynx	4.6	14.7	6.0	2.0	6.2	3.9	1.6	5.1	3.5	0.2	0.5	1.0
Esophagus	2.8	9.5	5.0	0.8	2.0	2.0	2.2	7.8	4.7	0.8	1.9	1.9
Stomach	3.8	13.2	6.0	1.2	2.9	2.4	1.2	4.1	3.3	0.8	1.7	1.7
Colorectal	21.2	72.4	13.9	22.4	56.1	10.6	7.8	26.8	8.5	7.6	16.9	5.5
Colon excluding rectum	14.0	47.9	11.3	16.8	41.7	9.1	6.4	21.9	7.7	6.4	13.9	4.9
Rectum & rectosigmoid	7.2	24.5	8.1	5.6	14.5	5.5	1.4	4.9	3.7	1.2	3.1	2.5
Liver / intrahepatic bile duct	2.0	6.5	4.0	1.4	3.6	2.7	2.0	6.8	4.3	1.8	4.4	2.9
Pancreas	5.2	17.7	6.9	7.4	18.2	6.0	4.6	15.4	6.4	5.8	14.5	5.4
Larynx	2.4	7.7	4.4	0.2	0.6	1.2	0.8	2.7	2.7	0.2	0.5	1.0
Lung and bronchus	32.8	111.2	17.1	22.8	62.4	11.6	24.0	82.4	14.9	16.6	44.8	9.7
Melanoma of the skin	5.2	17.9	6.9	3.4	9.9	4.8	1.2	3.9	3.1	0.6	1.6	1.8
Female breast				51.2	145.3	18.0				8.8	23.0	6.9
Cervix uteri				2.8	8.9	4.7				0.8	2.0	2.0
Corpus uterus and NOS				10.0	28.0	7.9				2.2	5.6	3.4
Ovary				5.0	14.1	5.6				2.6	6.9	3.8
Prostate	58.8	197.8	22.7				7.2	26.8	8.9			
Testis	2.4	7.9	4.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	12.2	42.2	10.7	5.8	16.3	6.0	2.6	9.8	5.4	0.8	1.8	1.8
Kidney and renal pelvis	5.8	19.4	7.1	3.8	10.9	5.0	1.4	5.0	3.7	0.8	1.9	1.9
Brain and other nervous system	3.0	9.8	5.0	3.4	11.1	5.3	1.6	5.2	3.6	1.8	5.1	3.4
Thyroid	1.4	4.8	3.6	3.2	10.9	5.4	0.2	1.0	2.0	0.0	0.0	0.0
Hodgkin lymphoma	0.8	2.8	2.7	0.6	1.8	2.0	0.0	0.0	0.0	0.2	0.6	1.2
Non-Hodgkin lymphomas	6.4	22.1	7.8	9.2	23.9	7.0	2.2	8.2	4.9	2.6	6.7	3.7
Multiple myeloma	1.8	6.4	4.2	0.8	2.3	2.3	0.6	2.0	2.3	0.8	2.4	2.3
Leukemias	6.4	22.7	8.0	4.8	12.3	5.1	3.2	11.6	5.8	2.6	6.5	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by County and Gender, 1999-2003**

Greene

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	158.6	599.4	42.2	131.4	431.6	33.6	72.0	282.2	29.5	61.0	185.8	21.1
Oral cavity and pharynx	4.2	15.3	6.6	3.2	10.9	5.4	2.2	8.0	4.8	0.6	1.8	2.0
Esophagus	2.4	9.6	5.5	1.2	3.8	3.1	2.8	10.9	5.7	0.8	2.5	2.5
Stomach	3.0	11.5	5.9	0.8	2.3	2.3	1.4	5.3	4.0	0.4	1.1	1.6
Colorectal	23.0	89.6	16.6	15.2	46.8	10.7	8.6	35.0	10.6	7.0	20.5	6.9
Colon excluding rectum	16.2	63.0	13.9	12.6	38.5	9.6	6.0	24.5	8.9	6.2	18.4	6.6
Rectum & rectosigmoid	6.8	26.5	9.0	2.6	8.3	4.6	2.6	10.5	5.8	0.8	2.1	2.1
Liver / intrahepatic bile duct	3.0	10.7	5.4	0.6	1.8	2.1	2.0	7.3	4.5	0.2	0.6	1.2
Pancreas	3.8	14.2	6.5	3.8	11.1	5.0	3.2	11.7	5.8	2.2	6.3	3.7
Larynx	1.4	5.0	3.7	0.6	1.8	2.0	1.2	4.4	3.5	0.2	0.5	1.0
Lung and bronchus	24.2	90.6	16.3	21.8	71.0	13.4	23.2	88.1	16.2	14.0	43.3	10.2
Melanoma of the skin	3.8	14.5	6.6	2.6	9.1	5.0	0.8	3.0	2.9	0.6	2.3	2.7
Female breast				33.8	112.7	17.3				10.0	30.1	8.5
Cervix uteri				1.2	4.7	3.8				0.6	1.8	2.0
Corpus uterus and NOS				6.6	22.2	7.7				0.8	2.3	2.3
Ovary				5.8	19.8	7.3				3.8	11.3	5.1
Prostate	37.6	139.0	20.0				5.2	21.5	8.4			
Testis	0.8	2.8	2.7				0.2	1.0	1.9			
Urinary bladder (incl. in situ)	15.8	59.6	13.3	4.4	12.7	5.4	2.2	9.7	5.8	1.4	4.0	3.0
Kidney and renal pelvis	6.6	25.3	8.7	3.4	11.7	5.7	2.4	9.2	5.3	1.4	4.3	3.2
Brain and other nervous system	1.2	4.4	3.5	2.6	9.5	5.3	1.0	3.8	3.4	1.4	4.4	3.3
Thyroid	1.2	4.8	3.9	1.8	6.9	4.5	0.0	0.0	0.0	0.2	0.5	1.0
Hodgkin lymphoma	2.6	10.2	5.6	0.8	3.6	3.7	0.0	0.0	0.0	0.2	0.6	1.2
Non-Hodgkin lymphomas	6.6	24.1	8.3	4.8	15.0	6.1	3.0	12.1	6.2	2.8	8.6	4.6
Multiple myeloma	1.2	4.2	3.4	1.4	4.5	3.4	0.6	2.0	2.3	0.8	2.7	2.6
Leukemias	5.6	22.0	8.3	3.6	11.2	5.3	3.0	12.3	6.3	2.8	8.7	4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Hamilton

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	26.8	706.6	122.5	23.0	550.7	102.0	10.8	289.9	79.0	8.6	204.4	62.1
Oral cavity and pharynx	1.4	44.2	34.6	0.4	11.7	16.2	0.2	5.4	10.7	0.2	4.7	9.2
Esophagus	0.6	12.6	14.3	0.0	0.0	0.0	0.2	4.2	8.3	0.0	0.0	0.0
Stomach	1.0	28.0	25.0	0.2	4.0	7.9	1.0	28.0	25.0	0.2	4.0	7.9
Colorectal	3.0	74.6	37.9	2.4	54.1	30.7	1.2	29.1	23.4	0.6	14.1	16.0
Colon excluding rectum	1.8	43.8	28.7	1.8	40.8	26.7	0.6	14.6	16.6	0.4	9.4	13.0
Rectum & rectosigmoid	1.2	30.8	24.8	0.6	13.3	15.1	0.6	14.5	16.5	0.2	4.7	9.2
Liver / intrahepatic bile duct	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.9	9.5	0.0	0.0	0.0
Pancreas	0.6	19.0	22.3	0.4	8.4	11.7	1.0	29.8	26.9	0.6	13.9	15.7
Larynx	0.6	13.0	14.8	0.0	0.0	0.0	0.4	8.8	12.2	0.0	0.0	0.0
Lung and bronchus	4.4	121.0	51.9	4.6	108.6	44.6	2.8	83.3	44.8	3.0	69.4	35.1
Melanoma of the skin	1.6	48.0	34.2	0.6	15.7	18.0	0.8	17.8	17.5	0.2	4.6	9.1
Female breast				7.0	169.5	56.7				1.2	29.6	23.9
Cervix uteri				0.2	4.4	8.6				0.0	0.0	0.0
Corpus uterus and NOS				1.2	26.8	21.5				0.2	4.7	9.2
Ovary				1.0	22.5	19.8				0.8	17.9	17.5
Prostate	7.2	178.5	59.1				0.8	22.5	22.5			
Testis	0.2	6.2	12.1				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	2.0	53.7	34.2	0.4	8.8	12.3	0.2	4.9	9.7	0.0	0.0	0.0
Kidney and renal pelvis	1.2	28.4	22.8	0.2	4.7	9.2	0.0	0.0	0.0	0.0	0.0	0.0
Brain and other nervous system	0.4	11.4	15.8	0.8	19.7	19.4	0.2	4.5	8.9	0.2	4.6	9.1
Thyroid	0.2	5.4	10.7	0.4	10.4	14.6	0.0	0.0	0.0	0.2	4.6	9.0
Non-Hodgkin lymphomas	0.8	20.5	20.2	1.0	24.7	21.8	0.4	10.0	13.9	0.0	0.0	0.0
Multiple myeloma	0.0	0.0	0.0	0.6	13.1	14.9	0.4	11.0	15.4	0.0	0.0	0.0
Leukemias	0.6	17.0	19.3	0.2	4.0	7.9	0.2	5.4	10.7	0.0	0.0	0.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Herkimer

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	210.0	599.4	36.4	192.8	446.1	29.1	83.0	236.9	22.9	83.8	179.4	17.7
Oral cavity and pharynx	3.8	10.4	4.7	2.6	6.7	3.7	1.0	2.7	2.4	0.4	1.0	1.4
Esophagus	3.4	10.0	4.8	1.2	2.9	2.5	2.2	6.4	3.8	1.0	2.6	2.3
Stomach	4.0	11.3	5.0	1.0	2.0	1.8	2.0	5.4	3.3	0.8	1.4	1.4
Colorectal	26.2	74.7	12.8	28.2	59.4	10.1	10.0	28.4	7.9	8.6	16.1	5.0
Colon excluding rectum	18.2	51.8	10.7	22.2	45.7	8.8	7.2	20.2	6.6	7.0	13.0	4.4
Rectum & rectosigmoid	8.0	22.9	7.1	6.0	13.6	5.0	2.8	8.2	4.3	1.6	3.2	2.3
Liver / intrahepatic bile duct	3.4	9.9	4.7	1.4	2.7	2.1	2.6	7.2	3.9	1.0	1.7	1.5
Pancreas	5.8	16.2	5.9	5.4	10.9	4.2	6.0	17.1	6.2	5.6	11.3	4.3
Larynx	3.4	9.8	4.7	0.4	1.1	1.6	0.8	2.3	2.3	0.2	0.5	1.0
Lung and bronchus	33.2	92.6	14.1	27.6	61.9	10.6	25.2	70.4	12.3	21.8	47.3	9.1
Melanoma of the skin	2.6	7.7	4.2	3.2	8.5	4.3	0.6	1.7	1.9	0.6	1.2	1.3
Female breast				51.6	125.3	15.7				11.2	25.3	6.8
Cervix uteri				2.6	6.5	3.7				1.0	2.5	2.2
Corpus uterus and NOS				8.2	21.0	6.5				1.6	3.5	2.5
Ovary				7.4	18.5	6.1				6.2	14.0	5.1
Prostate	62.0	175.0	19.5				9.0	26.9	7.9			
Testis	1.8	6.1	4.0				0.2	0.8	1.5			
Urinary bladder (incl. in situ)	19.4	55.2	11.0	5.2	11.0	4.3	1.6	5.0	3.5	1.0	2.3	2.0
Kidney and renal pelvis	5.6	16.2	6.0	5.6	12.1	4.6	1.8	5.0	3.3	2.2	3.9	2.3
Brain and other nervous system	2.4	7.2	4.1	3.4	7.7	3.9	1.6	4.6	3.2	2.2	5.8	3.6
Thyroid	1.6	5.3	3.7	4.4	12.8	5.4	0.4	1.1	1.5	0.4	0.7	1.0
Hodgkin lymphoma	1.8	6.0	3.9	1.2	3.7	3.0	0.0	0.0	0.0	0.2	0.6	1.2
Non-Hodgkin lymphomas	6.0	17.6	6.3	9.6	20.9	6.1	3.6	10.4	4.8	2.8	5.4	2.9
Multiple myeloma	2.8	7.7	4.1	2.0	4.6	2.9	1.6	4.6	3.2	1.6	3.7	2.6
Leukemias	9.2	26.6	7.7	5.2	13.3	5.3	4.2	12.0	5.2	2.4	6.1	3.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Jefferson

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	268.2	609.3	33.1	230.2	410.7	24.0	105.4	256.1	22.3	106.8	181.1	15.6
Oral cavity and pharynx	6.6	14.5	5.0	1.6	2.8	2.0	1.8	3.8	2.5	0.4	0.6	0.9
Esophagus	5.6	12.2	4.6	2.6	4.3	2.4	4.0	9.5	4.3	2.2	3.5	2.1
Stomach	3.0	7.2	3.7	2.0	3.2	2.0	2.4	6.0	3.5	1.4	2.2	1.7
Colorectal	30.8	72.7	11.7	32.0	54.6	8.6	10.8	26.5	7.2	12.6	20.1	5.0
Colon excluding rectum	20.4	48.8	9.6	25.4	42.9	7.6	9.4	23.4	6.8	11.6	18.7	4.9
Rectum & rectosigmoid	10.4	23.9	6.6	6.6	11.6	4.0	1.4	3.1	2.3	1.0	1.4	1.3
Liver / intrahepatic bile duct	4.0	9.7	4.3	1.6	3.0	2.1	2.0	4.7	3.0	1.2	1.9	1.6
Pancreas	5.2	11.6	4.5	4.2	6.9	3.0	5.4	12.1	4.6	4.4	7.1	3.0
Larynx	5.0	10.6	4.2	0.8	1.4	1.3	1.4	3.2	2.4	0.4	0.7	1.0
Lung and bronchus	46.2	106.2	13.9	37.8	68.2	9.8	37.6	88.0	12.8	30.2	53.8	8.7
Melanoma of the skin	4.8	10.2	4.2	5.2	9.7	3.8	0.6	1.4	1.6	0.8	1.5	1.5
Female breast				60.2	110.9	12.6				16.6	28.3	6.2
Cervix uteri				5.2	9.6	3.7				1.0	2.0	1.7
Corpus uterus and NOS				12.0	22.0	5.6				1.6	2.6	1.9
Ovary				5.8	10.4	3.8				4.6	7.9	3.3
Prostate	84.8	195.8	18.9				10.4	30.1	8.4			
Testis	4.2	6.7	2.9				0.2	0.3	0.6			
Urinary bladder (incl. in situ)	19.8	46.0	9.2	7.0	11.4	3.8	3.0	7.6	4.0	2.6	3.9	2.1
Kidney and renal pelvis	7.0	15.5	5.2	5.0	8.6	3.4	1.8	4.7	3.1	1.6	2.6	1.8
Brain and other nervous system	4.0	8.2	3.7	3.2	6.0	2.9	1.4	3.1	2.3	1.2	2.2	1.7
Thyroid	1.0	1.8	1.6	5.8	11.1	4.0	0.2	0.4	0.8	0.2	0.4	0.8
Hodgkin lymphoma	1.8	3.0	2.0	1.0	1.9	1.6	0.2	0.3	0.7	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.8	18.7	5.6	9.6	16.8	4.8	3.6	8.7	4.1	4.8	7.7	3.1
Multiple myeloma	3.0	7.1	3.6	2.6	4.4	2.4	2.8	6.7	3.5	1.2	2.0	1.6
Leukemias	7.8	16.7	5.3	5.2	8.8	3.4	3.4	8.3	4.0	3.0	5.1	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Lewis

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	82.8	631.1	61.7	61.6	400.6	45.2	32.8	261.0	40.8	27.4	170.4	28.8
Oral cavity and pharynx	1.4	10.3	7.6	1.0	6.7	5.9	1.4	10.8	8.2	0.4	2.4	3.3
Esophagus	1.4	10.0	7.4	0.2	1.2	2.4	0.8	5.6	5.5	0.2	1.2	2.4
Stomach	1.4	11.4	8.7	0.4	2.4	3.3	1.2	10.2	8.3	0.2	1.0	1.9
Colorectal	13.4	103.2	25.2	10.0	59.1	16.5	5.0	37.6	14.9	4.2	25.0	10.8
Colon excluding rectum	8.6	69.1	21.1	8.4	49.5	15.1	4.2	31.4	13.6	3.4	20.7	9.9
Rectum & rectosigmoid	4.8	34.1	13.7	1.6	9.7	6.7	0.8	6.2	6.1	0.8	4.4	4.3
Liver / intrahepatic bile duct	0.4	2.7	3.8	1.2	7.8	6.3	0.6	4.2	4.8	0.8	5.0	5.0
Pancreas	2.4	18.7	10.8	2.0	12.7	8.0	2.6	20.8	11.6	2.0	12.7	8.0
Larynx	0.4	3.4	4.7	0.4	2.6	3.7	0.6	4.5	5.1	0.2	1.2	2.4
Lung and bronchus	10.0	77.8	21.9	5.8	37.3	13.6	8.0	64.1	20.3	5.0	31.3	12.3
Melanoma of the skin	2.8	21.1	11.2	2.4	16.9	9.6	1.0	6.9	6.1	0.4	2.8	3.9
Female breast				14.6	95.5	22.1				4.0	24.2	10.7
Cervix uteri				0.6	4.8	5.4				0.4	3.0	4.1
Corpus uterus and NOS				4.0	27.4	12.0				0.8	5.2	5.1
Ovary				2.6	17.0	9.3				1.4	9.7	7.2
Prostate	27.6	206.6	34.9				4.2	39.2	17.2			
Testis	0.4	3.4	4.8				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	3.2	25.7	13.0	1.4	9.3	7.0	0.2	2.4	4.6	0.0	0.0	0.0
Kidney and renal pelvis	2.6	19.3	10.6	1.2	7.7	6.2	0.4	2.8	3.8	0.4	2.7	3.8
Brain and other nervous system	1.0	6.8	6.0	0.8	5.7	5.6	0.8	5.9	5.8	0.4	2.9	4.0
Thyroid	0.4	2.8	3.8	2.2	15.8	9.4	0.0	0.0	0.0	0.2	1.2	2.4
Hodgkin lymphoma	0.2	1.6	3.1	0.6	4.5	5.1	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	3.8	27.9	12.6	2.6	17.0	9.3	1.6	12.2	8.5	0.8	4.6	4.5
Multiple myeloma	1.4	12.4	9.4	0.8	5.3	5.2	0.2	1.6	3.1	0.6	4.0	4.5
Leukemias	4.0	30.9	13.8	3.4	21.9	10.5	1.4	10.1	7.5	2.4	13.7	7.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Livingston

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	170.2	626.7	43.1	151.6	463.1	33.2	70.4	274.9	29.6	66.2	197.5	21.4
Oral cavity and pharynx	5.0	18.1	7.4	2.4	7.4	4.2	1.0	3.9	3.6	0.8	2.3	2.3
Esophagus	1.8	6.3	4.1	0.4	1.3	1.8	1.6	5.6	3.9	0.4	1.2	1.7
Stomach	4.2	15.0	6.6	2.2	6.8	4.0	2.2	7.3	4.3	1.2	3.6	2.9
Colorectal	18.0	68.8	14.7	20.2	59.0	11.6	6.2	24.6	9.0	6.4	18.7	6.5
Colon excluding rectum	11.2	43.5	11.7	16.6	48.2	10.5	5.0	19.2	7.9	5.2	14.8	5.7
Rectum & rectosigmoid	6.8	25.3	8.8	3.6	10.8	5.0	1.2	5.3	4.4	1.2	3.9	3.1
Liver / intrahepatic bile duct	2.2	7.3	4.4	0.4	1.4	2.0	2.0	7.2	4.6	0.8	2.3	2.2
Pancreas	3.8	14.4	6.6	3.2	9.7	4.8	4.0	15.6	7.0	3.2	9.4	4.6
Larynx	3.6	12.9	6.1	1.0	3.2	2.8	0.2	0.7	1.3	0.2	0.6	1.2
Lung and bronchus	28.8	105.0	17.5	19.0	58.9	11.9	25.2	94.7	16.9	17.0	52.2	11.2
Melanoma of the skin	4.2	14.7	6.5	3.0	9.5	4.8	1.6	5.9	4.2	0.8	2.5	2.5
Female breast				43.8	135.8	18.1				11.0	31.9	8.5
Cervix uteri				1.8	5.7	3.8				1.0	3.1	2.8
Corpus uterus and NOS				9.6	29.6	8.4				2.2	6.2	3.7
Ovary				6.6	19.9	6.8				3.2	9.7	4.8
Prostate	47.4	175.0	22.7				6.4	30.6	10.9			
Testis	1.8	5.2	3.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	15.2	58.4	13.5	3.8	11.5	5.2	2.2	9.3	5.6	0.6	1.6	1.8
Kidney and renal pelvis	4.8	17.2	7.0	4.4	13.2	5.5	2.2	8.8	5.4	1.4	4.2	3.1
Brain and other nervous system	2.2	7.1	4.2	2.6	8.0	4.4	1.8	5.7	3.8	1.6	4.8	3.3
Thyroid	0.8	3.3	3.4	3.6	11.0	5.1	0.2	1.2	2.4	0.4	1.5	2.1
Hodgkin lymphoma	1.2	3.3	2.7	0.8	2.6	2.6	0.2	1.2	2.4	0.2	0.5	0.9
Non-Hodgkin lymphomas	7.4	26.4	8.7	6.4	19.4	6.8	2.4	9.5	5.4	2.0	5.8	3.6
Multiple myeloma	2.2	8.5	5.1	0.4	1.1	1.6	1.6	6.2	4.4	1.0	3.1	2.7
Leukemias	4.6	17.1	7.2	5.0	15.6	6.2	2.2	8.2	4.9	2.4	7.0	4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Madison

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females			
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	186.2	577.8	37.7	175.0	455.3	30.3	78.8	262.9	26.5	71.0	179.6	18.8							
Oral cavity and pharynx	4.4	13.2	5.6	2.2	5.5	3.3	1.0	3.5	3.1	0.2	0.5	1.0							
Esophagus	2.6	8.0	4.4	0.6	1.5	1.7	2.0	6.1	3.8	0.6	1.5	1.7							
Stomach	2.6	8.8	4.9	0.8	2.2	2.1	1.6	5.5	3.9	1.0	2.6	2.3							
Colorectal	23.4	77.8	14.4	25.8	64.8	11.2	8.4	29.2	9.1	8.8	21.9	6.5							
Colon excluding rectum	15.0	49.7	11.5	20.0	49.8	9.8	7.0	24.6	8.3	7.2	18.0	5.9							
Rectum & rectosigmoid	8.4	28.1	8.7	5.8	15.0	5.5	1.4	4.6	3.5	1.6	3.9	2.7							
Liver / intrahepatic bile duct	1.2	3.8	3.1	0.8	1.9	1.9	0.6	2.0	2.3	1.4	3.3	2.5							
Pancreas	4.4	13.7	5.8	3.8	9.4	4.2	3.2	10.4	5.2	3.8	9.5	4.3							
Larynx	2.6	8.4	4.7	0.4	1.1	1.5	0.8	2.5	2.5	0.2	0.5	0.9							
Lung and bronchus	36.0	111.3	16.4	27.6	71.2	11.9	27.0	84.9	14.5	19.8	50.3	9.9							
Melanoma of the skin	6.8	20.2	6.9	3.4	9.3	4.5	1.6	5.9	4.2	0.6	1.7	2.0							
Female breast				48.2	126.6	16.0					10.6	26.4	7.1						
Cervix uteri				2.6	6.9	3.7					1.0	2.6	2.3						
Corpus uterus and NOS				9.2	24.0	7.0					1.0	2.5	2.2						
Ovary				5.4	14.0	5.3					5.2	13.5	5.2						
Prostate	51.4	155.6	19.3				6.4	25.0	8.8										
Testis	2.8	8.4	4.4				0.0	0.0	0.0										
Urinary bladder (incl. in situ)	14.8	47.1	10.9	5.0	13.5	5.3	3.2	11.5	5.8	0.8	1.9	1.9							
Kidney and renal pelvis	5.8	16.9	6.3	3.6	9.3	4.3	2.6	8.5	4.8	0.8	2.0	2.0							
Brain and other nervous system	3.0	9.2	4.7	2.6	7.1	3.9	1.8	5.3	3.5	1.4	3.6	2.7							
Thyroid	1.8	5.0	3.3	5.2	14.1	5.5	0.0	0.0	0.0	0.4	0.9	1.3							
Hodgkin lymphoma	1.2	3.6	2.9	1.8	4.8	3.1	0.6	1.9	2.2	0.6	1.9	2.2							
Non-Hodgkin lymphomas	5.2	15.7	6.1	7.2	19.6	6.4	3.2	11.0	5.5	1.6	4.0	2.8							
Multiple myeloma	3.4	10.8	5.2	2.8	6.8	3.6	2.0	6.4	4.0	1.4	3.4	2.6							
Leukemias	4.8	15.5	6.3	3.2	8.5	4.2	2.8	9.8	5.2	2.8	7.2	3.8							

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Monroe

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1907.8	589.2	11.9	1931.8	448.2	9.1	749.0	239.1	7.7	773.6	168.2	5.4
Oral cavity and pharynx	44.8	13.4	1.8	25.8	6.0	1.0	13.6	4.2	1.0	7.4	1.7	0.6
Esophagus	26.2	8.1	1.4	11.4	2.5	0.7	28.6	8.9	1.5	11.4	2.5	0.7
Stomach	36.8	11.5	1.7	24.8	5.4	1.0	17.2	5.5	1.2	13.8	2.8	0.7
Colorectal	219.4	69.1	4.1	231.0	50.7	3.0	77.4	25.0	2.5	85.4	17.4	1.7
Colon excluding rectum	151.4	48.2	3.5	165.4	35.7	2.5	63.8	20.7	2.3	69.2	14.0	1.5
Rectum & rectosigmoid	68.0	20.9	2.2	65.6	15.1	1.7	13.6	4.3	1.0	16.2	3.4	0.8
Liver / intrahepatic bile duct	22.4	6.8	1.3	12.6	2.8	0.7	17.8	5.4	1.1	11.8	2.5	0.6
Pancreas	49.4	15.3	1.9	48.8	10.4	1.3	42.2	13.3	1.8	47.2	9.8	1.3
Larynx	28.2	8.4	1.4	7.6	1.8	0.6	6.6	2.0	0.7	1.6	0.4	0.3
Lung and bronchus	263.6	82.3	4.5	235.8	54.0	3.1	207.8	65.5	4.0	182.2	41.0	2.7
Melanoma of the skin	45.8	13.8	1.8	32.8	8.1	1.2	10.2	3.1	0.9	6.4	1.6	0.5
Female breast				611.4	145.4	5.2				113.0	25.4	2.1
Cervix uteri				25.0	6.3	1.1				6.8	1.7	0.6
Corpus uterus and NOS				120.4	28.6	2.3				18.6	4.0	0.8
Ovary				68.0	16.0	1.7				44.8	9.9	1.3
Prostate	582.6	181.0	6.6				88.8	30.3	2.8			
Testis	24.6	7.0	1.2				1.0	0.3	0.2			
Urinary bladder (incl. in situ)	154.4	48.3	3.4	60.0	13.2	1.5	29.4	9.7	1.6	15.2	3.0	0.7
Kidney and renal pelvis	64.2	19.3	2.1	42.4	9.7	1.3	18.4	5.7	1.2	13.6	2.9	0.7
Brain and other nervous system	30.2	8.8	1.4	27.0	6.7	1.1	16.2	4.8	1.1	16.0	3.8	0.8
Thyroid	16.2	4.7	1.0	44.0	11.4	1.5	1.8	0.5	0.3	2.2	0.5	0.3
Hodgkin lymphoma	14.0	4.0	0.9	11.4	3.0	0.8	2.2	0.7	0.4	1.8	0.4	0.3
Non-Hodgkin lymphomas	77.4	23.5	2.4	78.0	18.1	1.8	31.6	10.0	1.6	31.4	6.8	1.1
Multiple myeloma	24.8	7.7	1.4	22.0	4.9	0.9	13.2	4.2	1.0	14.0	3.0	0.7
Leukemias	62.2	19.1	2.1	51.8	11.8	1.5	35.6	11.5	1.7	29.0	6.2	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Montgomery

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	167.4	603.3	41.2	166.6	458.5	33.1	61.2	214.4	24.2	62.6	154.3	18.3
Oral cavity and pharynx	3.2	11.9	5.9	2.8	7.8	4.5	0.2	0.7	1.4	0.4	1.1	1.7
Esophagus	1.8	5.9	3.9	0.6	1.6	1.9	2.4	8.5	4.8	0.2	0.4	0.8
Stomach	3.2	11.1	5.5	2.4	5.2	3.1	1.4	4.7	3.5	1.0	2.8	2.6
Colorectal	22.8	80.5	14.9	25.2	58.6	10.9	5.4	19.1	7.2	10.2	21.4	6.3
Colon excluding rectum	15.6	54.6	12.2	20.0	46.0	9.6	4.6	16.3	6.7	9.2	19.4	6.1
Rectum & rectosigmoid	7.2	25.9	8.5	5.2	12.6	5.2	0.8	2.7	2.7	1.0	2.0	1.9
Liver / intrahepatic bile duct	1.8	6.3	4.1	0.4	0.6	0.9	1.4	5.0	3.7	0.0	0.0	0.0
Pancreas	4.0	14.5	6.4	5.0	12.4	5.1	3.0	10.8	5.5	3.6	8.1	4.0
Larynx	2.0	6.9	4.3	0.2	0.4	0.8	0.6	2.2	2.5	0.2	0.7	1.4
Lung and bronchus	28.6	102.0	16.8	19.6	51.9	10.7	19.4	68.3	13.7	13.4	36.5	9.1
Melanoma of the skin	4.0	15.6	6.9	4.2	15.3	6.9	0.2	0.6	1.2	0.8	2.3	2.5
Female breast				42.6	126.1	17.8				8.4	21.2	6.8
Cervix uteri				2.6	10.5	5.8				0.4	1.7	2.4
Corpus uterus and NOS				12.4	36.9	9.6				2.8	6.2	3.4
Ovary				5.6	15.4	6.0				3.4	8.6	4.3
Prostate	44.8	159.3	21.0				7.6	24.8	7.9			
Testis	2.4	10.4	5.9				0.4	1.4	2.0			
Urinary bladder (incl. in situ)	13.8	49.8	11.8	5.2	12.2	4.9	2.2	7.8	4.6	1.4	2.6	2.1
Kidney and renal pelvis	4.8	18.0	7.3	5.2	13.9	5.7	2.2	7.6	4.5	1.6	4.2	3.1
Brain and other nervous system	2.6	9.9	5.4	2.0	7.5	4.7	1.8	6.8	4.5	0.6	2.1	2.4
Thyroid	1.4	5.3	3.9	2.8	11.4	6.1	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.0	4.2	3.7	0.4	1.8	2.5	0.4	1.5	2.2	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.8	32.2	9.6	8.6	21.7	6.9	1.8	6.4	4.2	2.2	5.7	3.6
Multiple myeloma	2.8	9.9	5.2	2.2	5.3	3.2	1.6	5.5	3.9	2.0	5.0	3.3
Leukemias	5.4	19.8	7.5	4.6	12.4	5.4	2.0	7.6	4.7	2.0	5.7	3.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Nassau

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3851.8	575.9	8.2	3867.6	454.5	6.5	1359.4	210.2	5.1	1435.0	160.2	3.7
Oral cavity and pharynx	79.4	11.7	1.2	48.6	5.7	0.7	18.0	2.7	0.6	10.6	1.2	0.3
Esophagus	48.2	7.1	0.9	20.4	2.2	0.4	43.2	6.5	0.9	16.4	1.8	0.4
Stomach	89.2	13.6	1.3	53.2	6.0	0.7	42.2	6.5	0.9	27.4	3.1	0.5
Colorectal	443.0	66.9	2.8	468.8	51.9	2.1	152.2	23.6	1.7	147.4	15.9	1.2
Colon excluding rectum	303.6	46.2	2.3	349.4	38.5	1.8	127.4	19.8	1.6	126.0	13.5	1.1
Rectum & rectosigmoid	139.4	20.7	1.5	119.4	13.5	1.1	24.8	3.8	0.7	21.4	2.4	0.5
Liver / intrahepatic bile duct	51.2	7.5	0.9	23.8	2.7	0.5	36.2	5.4	0.8	20.4	2.2	0.4
Pancreas	104.4	15.6	1.3	114.0	12.4	1.0	88.8	13.5	1.3	98.6	10.8	1.0
Larynx	43.0	6.3	0.9	12.6	1.5	0.4	12.8	1.9	0.5	4.2	0.5	0.2
Lung and bronchus	521.4	78.1	3.0	497.6	56.0	2.2	371.8	56.4	2.6	341.4	37.9	1.8
Melanoma of the skin	142.0	21.3	1.6	106.2	13.1	1.1	27.2	4.1	0.7	18.4	2.1	0.4
Female breast				1166.6	140.5	3.6				253.8	29.2	1.6
Cervix uteri				58.4	7.4	0.9				17.0	2.0	0.4
Corpus uterus and NOS				252.6	29.9	1.7				40.2	4.5	0.6
Ovary				140.6	16.8	1.3				81.2	9.2	0.9
Prostate	1168.6	171.9	4.4				147.0	24.7	1.8			
Testis	34.4	5.5	0.8				2.2	0.4	0.2			
Urinary bladder (incl. in situ)	292.2	44.2	2.3	106.6	11.9	1.0	48.2	7.9	1.0	21.0	2.2	0.4
Kidney and renal pelvis	138.6	20.4	1.5	83.2	9.8	0.9	33.4	5.1	0.8	20.8	2.3	0.4
Brain and other nervous system	58.2	8.7	1.0	47.4	6.1	0.8	33.8	5.0	0.8	27.6	3.3	0.6
Thyroid	39.6	5.9	0.8	111.0	15.3	1.3	2.6	0.4	0.2	4.8	0.5	0.2
Hodgkin lymphoma	28.4	4.5	0.7	22.6	3.4	0.6	3.8	0.6	0.3	4.0	0.5	0.2
Non-Hodgkin lymphomas	167.2	25.3	1.7	154.0	17.9	1.3	64.0	9.9	1.1	57.8	6.4	0.7
Multiple myeloma	49.6	7.4	0.9	47.8	5.3	0.7	27.4	4.2	0.7	26.0	2.7	0.5
Leukemias	107.2	16.4	1.4	84.2	10.1	1.0	64.0	9.9	1.1	50.6	5.8	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Niagara

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	680.4	623.3	21.1	647.6	460.2	16.1	274.6	257.9	13.8	266.0	176.9	9.7
Oral cavity and pharynx	16.8	14.7	3.1	7.0	5.2	1.8	3.2	2.8	1.4	1.6	1.1	0.8
Esophagus	14.8	13.2	3.0	3.6	2.6	1.2	13.4	12.2	2.9	2.4	1.7	0.9
Stomach	11.0	10.3	2.7	9.0	5.8	1.7	6.6	6.3	2.2	5.4	3.6	1.4
Colorectal	80.2	74.6	7.4	81.6	53.1	5.2	29.4	28.1	4.6	31.8	19.7	3.1
Colon excluding rectum	55.4	51.7	6.1	59.4	37.9	4.4	23.8	22.9	4.2	27.8	17.2	2.9
Rectum & rectosigmoid	24.8	22.9	4.1	22.2	15.2	2.9	5.6	5.2	1.9	4.0	2.6	1.1
Liver / intrahepatic bile duct	6.8	6.2	2.1	3.6	2.3	1.1	6.2	5.7	2.0	3.4	2.1	1.0
Pancreas	14.6	13.5	3.1	18.2	12.1	2.5	14.4	13.4	3.1	15.8	10.3	2.3
Larynx	10.0	8.8	2.4	2.2	1.6	1.0	2.4	2.3	1.3	1.0	0.6	0.6
Lung and bronchus	115.4	105.1	8.6	106.0	73.3	6.3	91.4	84.2	7.8	77.0	52.2	5.3
Melanoma of the skin	18.8	17.1	3.5	10.4	8.3	2.3	3.8	3.5	1.6	1.8	1.3	0.9
Female breast				183.8	134.7	8.8				41.4	28.7	4.0
Cervix uteri				7.2	6.0	2.0				2.6	2.0	1.1
Corpus uterus and NOS				37.0	27.6	4.0				4.0	2.6	1.2
Ovary				20.2	15.1	3.0				11.0	7.6	2.0
Prostate	189.2	172.3	11.0				25.6	25.9	4.6			
Testis	6.4	6.3	2.2				0.2	0.2	0.4			
Urinary bladder (incl. in situ)	54.2	50.2	6.0	21.2	14.5	2.8	7.0	7.0	2.3	4.0	2.5	1.1
Kidney and renal pelvis	22.4	19.9	3.7	15.8	10.9	2.5	5.2	4.9	1.9	4.8	2.9	1.2
Brain and other nervous system	9.8	8.9	2.5	10.4	7.5	2.1	6.2	5.6	2.0	5.4	3.9	1.5
Thyroid	4.8	4.3	1.7	18.2	15.8	3.3	0.4	0.3	0.5	0.2	0.2	0.3
Hodgkin lymphoma	3.8	3.7	1.7	2.2	2.1	1.2	0.4	0.3	0.5	0.2	0.2	0.3
Non-Hodgkin lymphomas	26.2	23.9	4.1	22.0	16.0	3.0	11.0	10.3	2.7	8.8	5.8	1.7
Multiple myeloma	7.0	6.5	2.2	8.0	5.4	1.7	3.0	2.8	1.4	3.8	2.5	1.1
Leukemias	24.4	23.1	4.1	16.2	11.1	2.5	11.0	10.3	2.7	8.0	5.2	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Oneida

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	737.8	605.6	19.6	698.8	451.6	15.5	289.0	240.2	12.4	285.4	165.8	8.9
Oral cavity and pharynx	16.4	13.3	2.9	9.6	6.4	1.9	4.2	3.4	1.5	2.0	1.1	0.7
Esophagus	10.6	8.8	2.4	3.6	2.2	1.0	10.6	8.7	2.3	3.0	1.8	0.9
Stomach	15.6	12.8	2.9	9.8	5.4	1.6	6.8	5.5	1.9	5.4	2.8	1.1
Colorectal	88.6	72.9	6.8	87.6	50.6	4.9	29.6	24.8	4.0	27.8	14.4	2.5
Colon excluding rectum	61.8	50.9	5.7	64.8	36.4	4.1	24.6	20.6	3.7	24.4	12.6	2.3
Rectum & rectosigmoid	26.8	22.0	3.7	22.8	14.1	2.7	5.0	4.2	1.7	3.4	1.8	0.9
Liver / intrahepatic bile duct	9.4	7.6	2.2	5.8	3.5	1.3	6.4	5.2	1.8	5.0	2.6	1.1
Pancreas	15.0	12.5	2.8	20.2	11.8	2.4	14.0	11.5	2.7	17.2	9.6	2.1
Larynx	12.6	10.2	2.5	3.6	2.6	1.2	2.8	2.3	1.2	0.8	0.5	0.5
Lung and bronchus	120.2	98.3	7.9	97.4	62.1	5.6	93.4	76.1	6.9	66.2	41.0	4.5
Melanoma of the skin	19.4	15.8	3.2	14.6	11.1	2.6	6.0	5.0	1.8	1.2	0.9	0.7
Female breast				188.0	127.2	8.4				46.8	28.0	3.7
Cervix uteri				10.8	8.5	2.3				2.2	1.7	1.0
Corpus uterus and NOS				38.0	25.6	3.7				6.8	3.8	1.3
Ovary				23.8	16.3	3.0				16.8	10.6	2.3
Prostate	203.2	165.6	10.2				33.8	29.5	4.5			
Testis	5.2	4.4	1.7				0.4	0.3	0.5			
Urinary bladder (incl. in situ)	66.0	54.4	5.9	20.6	11.9	2.4	10.8	9.4	2.5	5.8	3.1	1.1
Kidney and renal pelvis	24.8	20.3	3.6	14.8	8.9	2.1	7.4	6.2	2.0	6.2	3.7	1.3
Brain and other nervous system	10.8	8.9	2.4	8.6	5.7	1.8	6.4	5.2	1.8	5.4	3.9	1.5
Thyroid	7.0	5.9	1.9	21.2	17.7	3.4	0.0	0.0	0.0	1.2	0.6	0.5
Hodgkin lymphoma	4.6	3.8	1.6	4.6	3.8	1.6	0.8	0.7	0.7	1.0	0.8	0.7
Non-Hodgkin lymphomas	31.0	25.6	4.0	30.6	18.6	3.1	9.2	7.7	2.2	11.8	6.3	1.7
Multiple myeloma	9.8	8.0	2.3	10.2	6.0	1.7	6.6	5.4	1.9	3.8	1.9	0.9
Leukemias	22.6	19.1	3.5	19.8	12.4	2.5	12.2	10.1	2.5	10.4	5.9	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Onondaga

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1237.2	596.8	15.0	1228.2	448.3	11.3	493.4	247.5	9.9	504.6	173.2	6.9
Oral cavity and pharynx	35.0	16.4	2.4	18.4	6.6	1.4	6.0	2.9	1.0	4.4	1.6	0.7
Esophagus	25.6	12.1	2.1	7.6	2.5	0.8	19.4	9.3	1.9	8.2	2.6	0.8
Stomach	20.4	9.7	1.9	15.0	5.4	1.2	10.6	5.3	1.4	7.8	2.6	0.8
Colorectal	136.2	66.9	5.1	138.2	47.6	3.6	48.8	25.0	3.2	58.6	19.4	2.3
Colon excluding rectum	96.6	47.9	4.3	103.4	35.1	3.1	36.6	18.9	2.8	47.0	15.5	2.0
Rectum & rectosigmoid	39.6	18.9	2.7	34.8	12.5	1.9	12.2	6.1	1.5	11.6	3.9	1.0
Liver / intrahepatic bile duct	13.6	6.4	1.5	6.4	2.2	0.8	12.4	5.9	1.5	5.6	1.9	0.7
Pancreas	30.2	14.8	2.4	35.8	12.4	1.8	25.4	12.8	2.2	30.8	10.4	1.7
Larynx	18.0	8.6	1.8	4.6	1.8	0.7	6.4	3.2	1.1	1.0	0.4	0.3
Lung and bronchus	212.2	103.0	6.2	192.4	68.9	4.4	155.4	76.4	5.4	131.0	45.8	3.6
Melanoma of the skin	29.8	14.3	2.3	23.2	9.1	1.7	8.8	4.3	1.3	5.2	1.9	0.7
Female breast				367.0	138.4	6.4				75.6	26.6	2.7
Cervix uteri				13.6	5.3	1.3				5.2	1.9	0.7
Corpus uterus and NOS				72.8	27.4	2.8				11.2	3.7	1.0
Ovary				37.8	14.0	2.0				25.6	9.0	1.6
Prostate	370.2	177.0	8.1				44.0	24.3	3.3			
Testis	14.4	6.7	1.5				0.6	0.3	0.3			
Urinary bladder (incl. in situ)	87.0	42.5	4.0	35.4	12.1	1.8	17.0	9.0	1.9	8.2	2.6	0.8
Kidney and renal pelvis	42.4	20.2	2.7	25.8	9.5	1.7	10.2	5.1	1.4	6.4	2.2	0.8
Brain and other nervous system	18.4	8.9	1.8	15.0	5.7	1.3	10.0	4.7	1.3	8.8	3.2	1.0
Thyroid	11.4	5.3	1.4	34.8	14.5	2.2	0.6	0.3	0.3	1.6	0.6	0.4
Hodgkin lymphoma	6.4	3.0	1.0	7.2	3.0	1.0	0.6	0.3	0.3	1.2	0.5	0.4
Non-Hodgkin lymphomas	52.0	25.0	3.1	49.2	17.3	2.2	20.8	10.4	2.0	18.6	6.1	1.3
Multiple myeloma	13.2	6.5	1.6	13.8	4.8	1.1	9.2	4.6	1.4	7.8	2.7	0.9
Leukemias	35.8	17.6	2.6	27.2	9.4	1.6	22.0	11.1	2.1	18.0	6.0	1.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Ontario

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	280.8	584.4	30.9	264.6	443.0	24.1	113.6	245.4	20.5	108.6	174.3	14.8
Oral cavity and pharynx	8.6	17.1	5.2	3.6	6.0	2.8	3.4	6.8	3.3	1.0	1.6	1.4
Esophagus	4.4	8.8	3.7	1.0	1.6	1.4	4.2	8.5	3.7	0.6	1.0	1.2
Stomach	3.8	7.9	3.6	2.6	4.1	2.3	2.4	5.4	3.1	2.0	3.2	2.0
Colorectal	33.8	71.8	11.0	27.8	43.5	7.3	10.0	22.7	6.4	11.6	17.2	4.5
Colon excluding rectum	24.0	51.8	9.4	19.6	30.1	6.0	8.8	20.1	6.0	10.2	15.2	4.2
Rectum & rectosigmoid	9.8	20.0	5.7	8.2	13.4	4.1	1.2	2.6	2.1	1.4	2.0	1.5
Liver / intrahepatic bile duct	2.0	4.0	2.5	2.2	3.8	2.3	2.2	4.7	2.8	1.6	2.5	1.8
Pancreas	5.6	12.3	4.6	9.2	14.4	4.2	4.8	10.7	4.4	7.0	10.7	3.6
Larynx	2.6	5.5	3.0	1.4	2.3	1.7	1.4	3.1	2.3	0.2	0.3	0.6
Lung and bronchus	48.0	98.6	12.6	34.2	56.9	8.6	36.8	77.2	11.3	25.4	42.0	7.4
Melanoma of the skin	7.2	14.7	4.8	6.4	11.5	4.0	2.0	3.9	2.4	1.8	3.0	2.0
Female breast				86.0	146.4	13.9				16.4	26.8	5.9
Cervix uteri				4.8	8.5	3.4				1.0	1.7	1.5
Corpus uterus and NOS				15.6	27.1	6.0				2.8	4.3	2.3
Ovary				9.0	15.5	4.6				5.0	8.4	3.3
Prostate	83.8	173.3	16.8				12.6	30.1	7.5			
Testis	2.0	4.0	2.5				0.2	0.4	0.8			
Urinary bladder (incl. in situ)	21.6	46.2	8.9	5.0	7.7	3.0	3.8	8.6	3.9	1.4	2.2	1.6
Kidney and renal pelvis	9.4	18.9	5.5	6.8	11.1	3.8	2.0	4.5	2.8	1.0	1.6	1.5
Brain and other nervous system	4.6	9.3	3.8	2.2	3.6	2.2	2.8	5.1	2.7	2.0	3.2	2.0
Thyroid	1.6	3.1	2.1	4.4	8.4	3.5	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.0	2.3	2.1	1.6	3.0	2.1	0.0	0.0	0.0	0.2	0.4	0.9
Non-Hodgkin lymphomas	11.0	22.1	5.9	10.2	17.4	4.8	3.2	6.7	3.3	5.4	8.4	3.2
Multiple myeloma	4.0	8.7	3.9	2.8	4.2	2.2	2.8	6.2	3.3	1.4	2.2	1.7
Leukemias	9.6	21.2	6.1	8.4	13.8	4.2	5.6	12.6	4.8	5.6	9.2	3.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Orange

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	801.2	597.7	19.0	825.8	479.6	14.7	296.2	238.6	12.5	321.4	184.0	9.1
Oral cavity and pharynx	22.2	14.8	2.8	10.4	6.2	1.7	6.4	4.5	1.6	3.2	1.8	0.9
Esophagus	10.8	8.1	2.2	4.2	2.3	1.0	9.8	7.6	2.2	3.2	1.8	0.9
Stomach	18.6	14.9	3.1	13.4	7.5	1.8	9.4	7.9	2.3	8.8	4.8	1.4
Colorectal	95.2	74.2	6.9	101.4	58.2	5.1	35.2	29.7	4.5	35.8	20.0	3.0
Colon excluding rectum	68.4	54.0	5.9	78.6	45.0	4.5	30.2	25.3	4.2	30.0	16.7	2.7
Rectum & rectosigmoid	26.8	20.2	3.5	22.8	13.2	2.4	5.0	4.4	1.8	5.8	3.3	1.2
Liver / intrahepatic bile duct	13.4	10.4	2.6	5.6	3.2	1.2	9.6	7.7	2.2	7.0	3.8	1.3
Pancreas	15.6	12.1	2.8	20.2	11.6	2.3	13.4	10.4	2.6	19.6	11.2	2.2
Larynx	9.8	7.1	2.0	2.8	1.7	0.9	2.8	2.1	1.1	0.8	0.5	0.5
Lung and bronchus	116.2	89.6	7.5	107.0	63.5	5.4	90.4	70.9	6.7	73.6	43.4	4.5
Melanoma of the skin	19.8	13.5	2.8	16.0	9.3	2.0	4.2	2.8	1.2	3.6	2.1	1.0
Female breast				232.2	135.1	7.8				45.8	26.0	3.4
Cervix uteri				18.6	10.8	2.2				4.8	3.0	1.2
Corpus uterus and NOS				46.0	27.1	3.5				10.2	5.6	1.6
Ovary				27.6	16.1	2.7				21.0	12.1	2.3
Prostate	238.6	179.3	10.4				28.6	26.5	4.4			
Testis	10.0	5.6	1.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	62.8	49.2	5.6	21.0	12.2	2.3	8.0	7.4	2.3	5.4	3.0	1.1
Kidney and renal pelvis	24.8	17.3	3.1	16.0	9.4	2.1	4.8	3.7	1.5	6.2	3.5	1.3
Brain and other nervous system	14.0	9.2	2.2	12.8	7.3	1.8	9.0	6.2	1.9	7.4	4.3	1.4
Thyroid	9.4	5.7	1.7	40.0	23.2	3.2	0.4	0.4	0.5	1.0	0.5	0.5
Hodgkin lymphoma	8.4	4.9	1.5	6.2	3.6	1.3	0.6	0.3	0.4	0.4	0.2	0.3
Non-Hodgkin lymphomas	34.8	25.4	3.9	35.6	20.7	3.1	9.6	8.0	2.3	14.2	8.2	1.9
Multiple myeloma	9.8	7.5	2.2	8.2	4.6	1.4	5.4	4.4	1.7	5.2	2.9	1.1
Leukemias	21.2	15.0	3.0	17.4	9.9	2.1	14.6	11.2	2.7	9.6	5.4	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Orleans

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	110.0	565.8	48.0	112.2	462.3	38.6	49.0	262.9	33.5	47.6	191.2	24.6
Oral cavity and pharynx	2.8	13.8	7.3	1.4	5.3	4.0	0.4	2.5	3.5	0.4	1.2	1.7
Esophagus	1.4	7.2	5.4	0.0	0.0	0.0	1.8	8.9	5.9	0.4	1.8	2.5
Stomach	1.8	9.0	5.9	0.8	2.9	2.9	0.2	1.1	2.2	0.6	2.3	2.7
Colorectal	15.2	81.3	18.6	16.4	63.2	13.9	5.8	31.9	11.8	5.2	18.6	7.2
Colon excluding rectum	9.8	53.7	15.3	11.4	43.7	11.5	5.0	27.7	11.0	4.6	16.5	6.8
Rectum & rectosigmoid	5.4	27.6	10.6	5.0	19.5	7.7	0.8	4.2	4.2	0.6	2.1	2.4
Liver / intrahepatic bile duct	1.4	8.2	6.2	0.8	2.8	2.8	1.4	7.8	5.9	0.8	2.9	2.8
Pancreas	2.0	10.2	6.3	2.4	10.0	5.7	2.0	9.9	6.2	2.0	7.8	4.9
Larynx	1.6	7.5	5.2	0.6	2.7	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung and bronchus	18.0	92.6	19.4	15.8	64.9	14.4	17.4	90.9	19.4	14.2	59.2	13.9
Melanoma of the skin	2.4	11.7	6.8	1.2	5.1	4.2	0.8	4.3	4.3	0.4	1.7	2.4
Female breast				31.2	131.9	20.8				7.2	29.3	9.6
Cervix uteri				3.8	16.8	7.6				0.2	0.9	1.8
Corpus uterus and NOS				6.0	24.9	9.0				1.4	5.6	4.2
Ovary				3.2	13.9	6.8				2.4	10.3	5.8
Prostate	29.8	154.5	25.1				4.6	26.5	11.0			
Testis	1.6	7.2	5.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	7.4	38.9	12.8	5.4	21.7	8.3	2.8	15.7	8.4	1.8	6.8	4.5
Kidney and renal pelvis	4.6	22.4	9.2	1.2	5.0	4.0	0.6	2.6	3.0	0.6	2.5	2.9
Brain and other nervous system	0.8	3.8	3.7	2.4	9.1	5.2	1.0	4.6	4.1	1.6	6.1	4.3
Thyroid	1.8	8.7	5.7	1.8	8.0	5.3	0.2	1.0	2.1	0.2	0.9	1.8
Hodgkin lymphoma	0.4	1.9	2.7	0.6	2.7	3.1	0.0	0.0	0.0	0.2	1.0	2.0
Non-Hodgkin lymphomas	3.8	18.9	8.6	4.8	20.0	8.1	2.4	13.8	8.0	1.6	6.4	4.5
Multiple myeloma	1.4	7.2	5.4	0.8	3.5	3.4	1.0	5.2	4.6	0.8	3.4	3.4
Leukemias	3.4	17.7	8.6	2.6	10.5	5.8	1.8	10.1	6.7	1.2	4.8	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Oswego

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	323.8	638.1	32.0	302.0	474.3	24.0	132.6	278.8	22.0	115.6	178.6	14.6
Oral cavity and pharynx	9.4	17.1	5.0	2.6	4.2	2.3	1.6	3.2	2.3	0.6	0.9	1.0
Esophagus	7.2	13.5	4.5	1.0	1.6	1.4	6.4	12.6	4.5	0.4	0.7	0.9
Stomach	5.8	11.8	4.5	1.6	2.3	1.6	2.6	5.3	3.0	1.0	1.3	1.2
Colorectal	39.2	78.9	11.3	37.8	57.7	8.3	14.4	32.0	7.7	10.6	15.9	4.3
Colon excluding rectum	27.0	55.6	9.6	28.6	43.5	7.2	11.0	23.8	6.5	8.6	12.8	3.8
Rectum & rectosigmoid	12.2	23.3	6.0	9.2	14.2	4.1	3.4	8.2	4.0	2.0	3.1	1.9
Liver / intrahepatic bile duct	4.2	8.4	3.7	1.6	2.7	1.9	4.0	7.9	3.6	2.8	4.4	2.3
Pancreas	6.8	14.3	5.0	6.8	10.5	3.5	5.6	12.1	4.6	7.0	10.8	3.6
Larynx	4.6	8.4	3.5	1.8	2.8	1.9	1.6	2.9	2.0	0.4	0.6	0.8
Lung and bronchus	60.4	118.4	13.7	49.8	79.4	9.9	45.0	89.8	12.0	35.6	56.3	8.3
Melanoma of the skin	8.2	15.6	4.9	7.0	11.4	3.8	1.8	3.2	2.1	1.2	1.8	1.4
Female breast				82.0	128.8	12.5				14.4	22.1	5.1
Cervix uteri				6.4	10.2	3.6				2.8	4.5	2.4
Corpus uterus and NOS				16.8	26.6	5.7				2.4	3.8	2.2
Ovary				9.4	14.6	4.2				5.6	8.7	3.3
Prostate	86.4	171.6	16.7				11.0	28.9	7.9			
Testis	4.0	6.4	2.8				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	25.2	51.4	9.3	8.4	12.8	3.9	5.6	13.0	5.0	1.8	2.6	1.7
Kidney and renal pelvis	7.4	13.4	4.4	6.0	9.6	3.4	1.6	2.9	2.0	1.8	2.8	1.8
Brain and other nervous system	4.8	9.1	3.7	4.4	7.1	3.0	2.6	5.0	2.7	2.0	3.2	2.0
Thyroid	3.0	5.4	2.8	8.6	14.1	4.2	0.0	0.0	0.0	0.2	0.3	0.5
Hodgkin lymphoma	2.0	3.3	2.1	2.0	3.3	2.1	0.0	0.0	0.0	0.2	0.3	0.5
Non-Hodgkin lymphomas	16.4	32.0	7.2	15.2	23.7	5.4	5.0	10.4	4.2	5.2	8.0	3.1
Multiple myeloma	3.8	8.5	4.0	2.8	4.4	2.3	2.6	6.1	3.5	2.4	3.8	2.2
Leukemias	9.4	17.9	5.3	7.6	11.7	3.7	5.4	10.5	4.1	3.0	4.5	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Otsego

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	179.2	568.3	37.5	161.2	426.1	30.1	78.6	257.6	25.7	64.8	154.1	17.1
Oral cavity and pharynx	7.2	22.7	7.5	2.2	5.5	3.3	1.8	6.0	3.9	0.4	0.8	1.1
Esophagus	3.2	10.0	4.9	1.2	2.9	2.3	2.4	7.7	4.4	0.2	0.5	1.0
Stomach	3.8	11.9	5.4	1.0	2.5	2.2	2.6	8.2	4.5	0.8	1.6	1.6
Colorectal	19.2	61.6	12.4	18.0	42.4	9.0	6.6	21.5	7.4	7.4	15.6	5.2
Colon excluding rectum	13.8	44.1	10.5	13.8	31.9	7.7	4.6	15.1	6.2	6.2	13.1	4.7
Rectum & rectosigmoid	5.4	17.5	6.6	4.2	10.5	4.5	2.0	6.4	4.0	1.2	2.5	2.1
Liver / intrahepatic bile duct	2.4	7.7	4.4	1.2	2.5	2.1	1.4	4.6	3.4	0.8	1.6	1.6
Pancreas	3.8	11.6	5.2	4.2	11.1	4.9	3.8	11.9	5.4	3.6	8.7	4.2
Larynx	2.6	8.0	4.4	0.4	1.1	1.5	0.4	1.2	1.6	0.0	0.0	0.0
Lung and bronchus	30.8	97.9	15.6	20.8	53.6	10.4	24.2	78.0	14.0	16.6	41.4	9.1
Melanoma of the skin	6.8	22.3	7.6	4.8	14.2	5.8	1.2	3.9	3.1	0.8	2.3	2.2
Female breast				46.8	127.4	16.6				10.0	24.4	6.9
Cervix uteri				2.2	7.6	4.5				1.4	4.0	3.0
Corpus uterus and NOS				11.6	30.9	8.0				1.6	4.2	2.9
Ovary				5.2	13.9	5.5				2.8	6.8	3.6
Prostate	44.2	136.6	18.1				11.6	39.0	10.1			
Testis	2.6	8.3	4.7				0.2	0.6	1.2			
Urinary bladder (incl. in situ)	17.4	56.1	11.9	6.6	17.1	5.9	2.0	7.1	4.4	1.6	3.5	2.5
Kidney and renal pelvis	3.6	11.1	5.2	2.6	6.5	3.6	2.4	7.7	4.4	1.4	3.2	2.4
Brain and other nervous system	1.8	6.0	4.0	2.2	6.6	4.1	0.8	2.5	2.5	2.0	5.1	3.2
Thyroid	0.8	2.3	2.2	4.4	15.4	6.6	0.0	0.0	0.0	0.4	0.8	1.1
Hodgkin lymphoma	1.4	4.2	3.2	0.6	1.7	2.0	0.2	0.7	1.3	0.0	0.0	0.0
Non-Hodgkin lymphomas	7.6	24.4	7.8	7.0	19.6	6.6	3.0	10.6	5.4	2.4	6.0	3.5
Multiple myeloma	2.6	8.3	4.5	1.4	3.5	2.7	1.4	4.5	3.4	1.0	2.2	2.0
Leukemias	6.6	21.1	7.3	3.6	8.6	4.0	4.4	14.5	6.1	2.4	5.2	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Putnam

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	239.2	606.7	36.5	228.4	469.5	27.6	83.8	245.1	24.8	87.6	188.8	17.9
Oral cavity and pharynx	8.2	16.6	5.4	3.4	7.3	3.5	1.0	2.2	2.0	0.6	1.3	1.5
Esophagus	3.8	10.6	5.0	1.4	3.0	2.2	4.0	10.3	4.8	1.6	3.2	2.3
Stomach	3.4	8.9	4.6	3.0	6.2	3.2	2.6	7.4	4.3	2.4	5.0	2.9
Colorectal	24.8	65.8	12.3	25.4	54.6	9.6	8.0	24.3	8.0	10.2	22.1	6.1
Colon excluding rectum	17.6	47.4	10.5	18.8	40.5	8.3	7.2	21.4	7.5	8.2	17.9	5.5
Rectum & rectosigmoid	7.2	18.4	6.4	6.6	14.2	4.9	0.8	2.9	2.9	2.0	4.3	2.7
Liver / intrahepatic bile duct	4.2	10.9	4.9	2.0	4.2	2.6	2.8	7.1	3.9	0.8	1.6	1.6
Pancreas	5.8	14.3	5.6	4.8	10.6	4.3	5.2	14.5	5.9	5.4	11.5	4.4
Larynx	2.0	4.5	3.0	0.4	0.7	0.9	0.6	1.8	2.2	0.0	0.0	0.0
Lung and bronchus	34.4	96.6	15.2	34.4	74.5	11.3	28.0	79.8	13.9	25.0	55.8	9.9
Melanoma of the skin	8.2	19.3	6.3	7.0	14.1	4.8	1.2	2.5	2.2	0.2	0.3	0.7
Female breast				65.4	127.6	14.0				12.6	26.3	6.6
Cervix uteri				4.2	8.2	3.6				0.6	1.3	1.4
Corpus uterus and NOS				11.8	23.6	6.1				1.8	3.8	2.5
Ovary				8.6	17.2	5.2				4.8	10.0	4.1
Prostate	65.4	162.5	18.6				8.2	30.3	9.5			
Testis	4.0	8.0	3.5				0.2	0.4	0.7			
Urinary bladder (incl. in situ)	18.6	50.3	10.9	5.8	12.5	4.6	2.2	7.7	4.7	0.8	1.7	1.7
Kidney and renal pelvis	9.2	20.6	6.2	7.6	15.9	5.1	1.2	4.1	3.4	1.8	3.9	2.6
Brain and other nervous system	4.8	11.0	4.7	2.6	5.2	2.9	2.4	5.7	3.4	1.4	2.9	2.2
Thyroid	3.2	6.5	3.4	8.8	17.2	5.2	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.4	3.0	2.2	0.4	0.7	1.0	0.0	0.0	0.0	0.2	0.3	0.7
Non-Hodgkin lymphomas	11.2	29.1	8.1	7.4	15.5	5.1	4.0	12.2	5.7	2.6	5.4	3.0
Multiple myeloma	3.2	7.0	3.6	3.0	6.2	3.2	1.2	2.9	2.5	1.8	3.8	2.5
Leukemias	9.0	22.5	6.8	6.0	13.4	4.8	3.2	8.8	4.4	2.4	5.5	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Rensselaer

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	435.2	626.3	26.6	430.6	477.8	20.4	181.8	274.8	18.1	179.2	190.6	12.6						
Oral cavity and pharynx	13.6	18.8	4.5	5.6	6.0	2.2	2.0	2.8	1.7	2.2	2.2	1.3						
Esophagus	7.2	9.9	3.3	4.0	4.1	1.8	7.6	10.8	3.5	3.4	3.5	1.7						
Stomach	6.4	9.5	3.3	5.8	6.0	2.2	4.2	6.2	2.7	3.0	3.0	1.5						
Colorectal	51.8	75.2	9.3	52.2	53.8	6.6	19.4	29.0	5.8	17.8	17.6	3.7						
Colon excluding rectum	37.2	54.3	7.9	39.8	40.2	5.7	15.4	23.0	5.2	15.4	15.1	3.4						
Rectum & rectosigmoid	14.6	20.9	4.8	12.4	13.6	3.4	4.0	6.0	2.7	2.4	2.4	1.4						
Liver / intrahepatic bile duct	4.2	6.4	2.8	2.6	2.8	1.6	5.6	8.7	3.3	2.4	2.4	1.4						
Pancreas	10.2	14.4	4.0	12.0	12.9	3.3	7.0	10.2	3.4	10.0	10.6	3.0						
Larynx	7.2	9.5	3.1	1.6	1.9	1.3	1.6	2.3	1.6	0.4	0.4	0.6						
Lung and bronchus	77.6	111.6	11.2	67.0	74.0	8.0	60.4	88.9	10.1	48.8	52.9	6.7						
Melanoma of the skin	10.0	13.7	3.8	10.8	12.7	3.4	3.6	5.0	2.3	1.4	1.6	1.2						
Female breast				119.4	135.6	10.9				30.0	32.4	5.2						
Cervix uteri				6.0	7.5	2.7				0.8	1.0	1.0						
Corpus uterus and NOS				23.6	27.0	4.9				3.6	3.9	1.8						
Ovary				16.0	17.4	3.9				10.4	11.2	3.1						
Prostate	123.0	176.8	14.1				19.2	33.4	6.8									
Testis	4.6	6.3	2.6				0.0	0.0	0.0									
Urinary bladder (incl. in situ)	33.0	49.1	7.6	14.6	15.2	3.5	6.6	10.5	3.6	2.6	2.6	1.4						
Kidney and renal pelvis	15.2	21.3	4.8	6.6	7.6	2.6	5.2	7.5	2.9	2.8	3.2	1.7						
Brain and other nervous system	5.2	7.4	2.9	6.4	7.7	2.7	3.0	4.3	2.2	2.4	2.9	1.7						
Thyroid	1.4	1.9	1.4	10.2	12.5	3.4	0.2	0.3	0.6	0.6	0.6	0.7						
Hodgkin lymphoma	1.6	2.3	1.6	2.8	3.6	1.9	0.6	0.8	1.0	0.6	0.6	0.7						
Non-Hodgkin lymphomas	15.6	22.3	5.0	17.8	20.2	4.2	7.4	11.0	3.6	7.2	7.6	2.5						
Multiple myeloma	4.0	6.0	2.6	4.2	4.5	1.9	2.6	3.9	2.1	3.4	3.7	1.8						
Leukemias	12.4	18.1	4.5	9.8	10.7	3.0	6.0	9.1	3.3	5.6	5.9	2.2						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Rockland

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	789.8	625.7	20.3	738.6	458.6	14.9	244.2	214.3	12.6	262.0	159.5	8.7
Oral cavity and pharynx	17.4	12.8	2.8	9.0	5.6	1.7	3.0	2.3	1.2	2.0	1.2	0.8
Esophagus	11.0	8.6	2.4	3.0	1.9	0.9	9.0	7.2	2.2	3.6	2.2	1.0
Stomach	16.8	14.6	3.3	12.0	7.3	1.9	8.4	8.2	2.6	7.2	4.2	1.4
Colorectal	84.4	73.0	7.3	86.6	52.8	5.0	27.6	25.7	4.5	28.6	17.0	2.8
Colon excluding rectum	61.4	54.2	6.4	67.4	41.1	4.4	24.4	23.0	4.3	25.8	15.3	2.7
Rectum & rectosigmoid	23.0	18.8	3.6	19.2	11.7	2.4	3.2	2.7	1.4	2.8	1.7	0.9
Liver / intrahepatic bile duct	11.8	9.6	2.5	5.0	3.1	1.2	8.0	6.3	2.0	3.0	1.8	0.9
Pancreas	19.4	15.3	3.2	21.6	13.5	2.6	16.8	14.2	3.2	18.4	11.4	2.3
Larynx	8.8	6.9	2.1	2.8	1.8	0.9	2.8	2.2	1.2	0.2	0.1	0.2
Lung and bronchus	89.0	73.5	7.1	87.0	53.4	5.0	62.0	53.2	6.2	54.6	33.3	4.0
Melanoma of the skin	22.8	17.1	3.2	15.4	9.9	2.2	4.6	3.8	1.6	3.6	2.2	1.0
Female breast				216.6	133.9	8.0				41.6	25.2	3.4
Cervix uteri				11.6	7.7	2.0				3.0	1.9	1.0
Corpus uterus and NOS				43.0	25.9	3.5				7.4	4.4	1.4
Ovary				26.8	16.6	2.8				15.8	9.6	2.1
Prostate	270.8	205.5	11.3				24.8	26.0	4.8			
Testis	7.8	5.9	1.9				1.2	0.9	0.7			
Urinary bladder (incl. in situ)	60.8	51.6	6.1	24.0	14.6	2.6	8.4	8.4	2.6	1.8	1.1	0.7
Kidney and renal pelvis	29.2	21.9	3.7	17.4	10.6	2.2	6.0	4.7	1.8	4.4	2.7	1.1
Brain and other nervous system	11.8	8.6	2.3	11.2	7.1	1.9	7.6	5.8	1.9	6.0	3.7	1.3
Thyroid	11.4	8.4	2.2	33.6	22.3	3.4	0.4	0.3	0.4	1.4	0.8	0.6
Hodgkin lymphoma	5.8	4.3	1.6	4.6	3.2	1.3	0.4	0.3	0.4	1.6	1.1	0.8
Non-Hodgkin lymphomas	33.8	26.3	4.1	28.0	17.8	3.0	13.4	11.5	2.9	9.8	6.1	1.7
Multiple myeloma	7.4	6.0	2.0	9.2	5.5	1.6	4.2	3.7	1.6	6.8	4.0	1.4
Leukemias	20.4	16.0	3.2	14.6	9.3	2.2	11.6	9.7	2.6	9.6	6.0	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

St. Lawrence

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	303.0	597.4	30.6	298.6	478.1	24.5	131.8	271.9	21.2	114.0	174.4	14.4
Oral cavity and pharynx	6.8	13.3	4.6	3.4	5.3	2.5	2.0	3.6	2.2	1.2	1.8	1.4
Esophagus	7.0	13.1	4.4	1.8	2.6	1.7	6.8	13.4	4.6	1.2	1.6	1.3
Stomach	4.6	8.5	3.5	2.0	3.2	2.0	2.0	4.1	2.5	1.2	1.9	1.6
Colorectal	38.8	78.2	11.2	43.2	65.3	8.8	19.0	40.3	8.3	14.2	21.1	5.0
Colon excluding rectum	26.2	53.5	9.3	33.4	50.3	7.7	14.6	31.3	7.4	11.8	17.2	4.4
Rectum & rectosigmoid	12.6	24.7	6.2	9.8	15.0	4.2	4.4	9.0	3.8	2.4	3.9	2.2
Liver / intrahepatic bile duct	2.8	5.3	2.8	1.8	2.9	1.9	2.4	4.6	2.6	1.6	2.8	1.9
Pancreas	5.6	11.0	4.1	4.6	6.8	2.8	6.6	13.0	4.5	4.6	6.6	2.7
Larynx	5.0	9.5	3.8	1.8	3.0	1.9	0.4	0.8	1.1	0.0	0.0	0.0
Lung and bronchus	58.6	115.2	13.4	46.2	72.3	9.4	40.0	79.9	11.3	34.0	52.7	8.0
Melanoma of the skin	7.0	13.1	4.4	8.2	14.4	4.5	1.2	2.1	1.7	1.2	2.0	1.6
Female breast				86.0	140.6	13.4				14.8	22.8	5.2
Cervix uteri				7.4	12.9	4.2				2.4	4.0	2.3
Corpus uterus and NOS				17.2	28.1	6.0				2.2	3.3	2.0
Ovary				10.4	17.0	4.6				5.0	7.9	3.1
Prostate	81.8	161.0	15.9				12.6	30.7	7.8			
Testis	2.6	4.7	2.6				0.2	0.3	0.7			
Urinary bladder (incl. in situ)	21.2	43.4	8.4	10.0	15.5	4.3	2.6	5.1	2.8	3.2	4.5	2.2
Kidney and renal pelvis	6.6	12.9	4.5	5.8	9.3	3.4	3.2	6.1	3.0	1.8	2.6	1.7
Brain and other nervous system	5.0	8.8	3.5	3.4	5.7	2.7	4.4	8.0	3.4	1.8	2.9	1.9
Thyroid	2.2	4.2	2.5	4.8	8.8	3.5	0.0	0.0	0.0	0.2	0.3	0.6
Hodgkin lymphoma	2.2	3.7	2.2	1.0	1.8	1.6	0.0	0.0	0.0	0.2	0.3	0.6
Non-Hodgkin lymphomas	13.4	26.5	6.5	10.0	15.8	4.4	5.6	12.3	4.7	4.4	6.7	2.8
Multiple myeloma	4.6	9.4	3.9	2.8	4.1	2.2	3.2	6.8	3.4	2.4	3.4	1.9
Leukemias	10.6	21.6	5.9	6.6	10.6	3.7	5.2	11.3	4.4	3.6	5.8	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Saratoga

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	518.6	585.0	23.2	520.6	469.9	18.1	194.4	236.2	15.3	191.0	172.0	10.9
Oral cavity and pharynx	14.2	14.3	3.4	9.0	8.2	2.4	2.6	2.8	1.6	2.2	1.9	1.2
Esophagus	6.8	8.0	2.7	2.4	2.2	1.2	7.8	8.9	2.8	2.2	2.0	1.2
Stomach	11.0	12.1	3.3	4.6	4.1	1.7	6.8	7.9	2.7	2.8	2.5	1.3
Colorectal	56.2	66.4	8.0	64.4	57.7	6.3	21.0	26.6	5.3	18.8	16.5	3.4
Colon excluding rectum	36.8	43.4	6.5	50.6	45.4	5.6	15.4	19.7	4.5	16.2	14.3	3.1
Rectum & rectosigmoid	19.4	23.0	4.8	13.8	12.4	2.9	5.6	6.9	2.7	2.6	2.3	1.2
Liver / intrahepatic bile duct	5.6	6.5	2.5	3.4	3.0	1.4	3.8	4.7	2.2	1.8	1.6	1.1
Pancreas	13.0	15.2	3.8	13.8	12.3	2.9	12.0	14.5	3.8	12.4	11.0	2.7
Larynx	7.4	7.6	2.5	2.8	2.6	1.3	1.6	1.7	1.2	0.8	0.7	0.7
Lung and bronchus	81.6	94.0	9.4	67.8	62.1	6.6	65.0	76.4	8.5	50.4	46.1	5.7
Melanoma of the skin	14.4	15.3	3.6	11.8	10.6	2.7	2.2	2.1	1.3	2.0	1.8	1.1
Female breast				160.0	143.8	10.0				28.2	25.2	4.2
Cervix uteri				9.8	8.8	2.5				2.4	2.1	1.2
Corpus uterus and NOS				32.0	28.6	4.5				5.2	4.7	1.8
Ovary				16.2	14.4	3.1				12.6	11.3	2.8
Prostate	146.8	163.9	12.1				18.8	26.5	5.5			
Testis	6.0	5.8	2.1				0.2	0.2	0.4			
Urinary bladder (incl. in situ)	43.2	50.7	7.0	12.8	11.6	2.8	8.0	11.0	3.5	2.8	2.5	1.3
Kidney and renal pelvis	18.8	20.2	4.1	11.6	10.4	2.7	5.6	6.6	2.5	4.6	4.2	1.7
Brain and other nervous system	7.0	7.1	2.4	8.2	7.6	2.3	3.8	3.9	1.7	4.8	4.4	1.8
Thyroid	5.8	5.7	2.1	19.2	17.5	3.5	0.4	0.4	0.6	0.2	0.2	0.4
Hodgkin lymphoma	3.0	3.0	1.5	1.8	1.6	1.1	0.2	0.2	0.4	0.4	0.4	0.5
Non-Hodgkin lymphomas	23.6	25.3	4.7	22.4	20.5	3.8	6.0	7.0	2.6	6.4	5.6	1.9
Multiple myeloma	7.2	8.3	2.7	3.8	3.5	1.6	3.6	4.2	2.0	2.2	1.9	1.2
Leukemias	12.4	14.2	3.7	12.2	10.9	2.8	5.4	6.6	2.6	7.8	7.0	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Schenectady

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	433.4	574.8	24.3	437.6	446.9	19.3	177.0	232.9	15.4	187.6	170.0	11.3
Oral cavity and pharynx	11.2	14.8	3.9	6.0	5.8	2.2	2.2	2.8	1.7	1.8	1.6	1.1
Esophagus	5.8	7.7	2.8	1.8	1.6	1.1	7.0	9.3	3.1	1.8	1.6	1.1
Stomach	9.0	11.9	3.5	6.6	5.7	2.0	3.8	5.0	2.3	4.8	4.1	1.7
Colorectal	47.4	62.5	8.0	51.8	47.5	6.0	16.4	21.4	4.7	18.4	15.5	3.3
Colon excluding rectum	35.2	46.3	6.9	37.6	34.3	5.1	13.8	18.1	4.3	14.0	12.0	2.9
Rectum & rectosigmoid	12.2	16.2	4.1	14.2	13.2	3.2	2.6	3.3	1.8	4.4	3.5	1.5
Liver / intrahepatic bile duct	4.8	6.3	2.5	2.2	2.2	1.3	4.4	5.8	2.4	0.8	0.8	0.8
Pancreas	9.6	12.6	3.6	13.6	11.9	2.9	9.6	12.6	3.6	13.4	11.4	2.8
Larynx	4.2	5.6	2.4	1.2	1.3	1.1	1.2	1.6	1.3	1.0	0.9	0.8
Lung and bronchus	67.2	89.2	9.6	66.4	65.2	7.2	52.0	68.6	8.4	50.8	47.5	6.0
Melanoma of the skin	10.8	14.3	3.8	7.2	7.4	2.5	2.6	3.4	1.8	2.6	2.5	1.4
Female breast				131.6	142.4	11.2				24.2	22.0	4.1
Cervix uteri				6.0	7.3	2.7				1.0	1.3	1.1
Corpus uterus and NOS				23.8	26.0	4.8				4.8	4.4	1.8
Ovary				15.2	16.7	3.8				9.4	9.1	2.7
Prostate	127.4	168.7	13.1				20.8	27.3	5.3			
Testis	3.8	5.4	2.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	40.2	52.6	7.3	15.4	13.9	3.2	9.8	12.8	3.6	5.4	4.5	1.8
Kidney and renal pelvis	17.0	22.3	4.8	9.0	9.3	2.8	3.2	4.1	2.0	2.2	2.3	1.4
Brain and other nervous system	8.2	11.5	3.5	6.4	7.3	2.6	3.8	5.2	2.3	3.4	4.1	2.0
Thyroid	3.2	4.3	2.1	11.2	14.7	3.9	0.2	0.3	0.5	0.2	0.2	0.5
Hodgkin lymphoma	2.4	3.3	1.9	0.8	1.1	1.0	0.6	0.7	0.8	0.6	0.7	0.9
Non-Hodgkin lymphomas	19.0	25.6	5.2	17.4	17.4	3.8	9.0	11.9	3.5	5.8	4.9	1.8
Multiple myeloma	4.4	5.6	2.4	3.2	2.9	1.5	2.8	3.6	1.9	2.0	1.9	1.2
Leukemias	10.8	14.2	3.8	9.2	8.8	2.6	7.2	9.4	3.1	8.2	7.1	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Schoharie

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	90.4	541.6	50.5	79.8	415.7	41.4	42.8	266.1	36.1	37.4	182.6	26.5
Oral cavity and pharynx	1.8	10.2	6.7	1.6	7.4	5.2	0.8	5.0	4.9	0.4	1.8	2.5
Esophagus	1.4	8.2	6.1	0.2	1.1	2.1	1.4	8.4	6.3	0.4	2.1	3.0
Stomach	1.6	9.4	6.5	0.8	4.0	3.9	1.6	10.1	7.1	1.2	6.1	4.9
Colorectal	10.6	63.7	17.3	9.4	45.0	13.0	4.2	27.3	11.9	5.6	25.5	9.6
Colon excluding rectum	6.8	41.5	14.1	7.2	34.3	11.3	3.2	20.8	10.4	4.8	22.1	9.0
Rectum & rectosigmoid	3.8	22.2	10.0	2.2	10.6	6.3	1.0	6.5	5.8	0.8	3.4	3.4
Liver / intrahepatic bile duct	1.2	8.2	6.6	0.4	2.0	2.7	0.4	2.5	3.4	0.2	1.0	1.9
Pancreas	1.6	9.5	6.7	1.6	8.1	5.7	2.2	13.1	7.8	1.4	6.7	5.1
Larynx	1.6	9.1	6.3	0.2	1.0	1.9	0.4	2.1	2.9	0.0	0.0	0.0
Lung and bronchus	18.6	112.3	23.0	13.6	69.3	16.6	16.2	100.5	22.1	10.8	55.0	14.8
Melanoma of the skin	3.0	17.1	8.7	1.8	9.6	6.4	1.2	6.7	5.4	0.0	0.0	0.0
Female breast				24.4	127.4	22.9				4.6	23.3	9.6
Cervix uteri				2.0	12.5	7.9				0.6	2.9	3.3
Corpus uterus and NOS				3.8	19.7	9.0				1.6	7.9	5.5
Ovary				2.2	12.5	7.4				1.6	8.1	5.7
Prostate	22.2	129.5	24.3				3.8	24.9	11.3			
Testis	1.2	8.3	6.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	7.8	49.0	15.6	2.0	10.7	6.7	1.8	11.9	7.9	1.0	5.1	4.4
Kidney and renal pelvis	2.8	16.4	8.8	1.8	9.4	6.2	1.2	7.7	6.3	0.0	0.0	0.0
Brain and other nervous system	1.8	10.5	6.9	0.6	3.1	3.5	1.0	5.6	4.9	1.2	6.5	5.3
Thyroid	0.8	5.0	5.0	2.2	15.3	9.2	0.4	2.8	4.0	0.0	0.0	0.0
Hodgkin lymphoma	1.2	7.3	5.9	0.6	3.4	3.8	0.2	1.3	2.5	0.0	0.0	0.0
Non-Hodgkin lymphomas	2.4	14.2	8.1	3.0	15.7	8.1	0.6	3.6	4.1	1.4	6.8	5.1
Multiple myeloma	1.2	6.9	5.5	0.6	3.0	3.4	1.0	5.7	5.0	0.6	2.4	2.8
Leukemias	2.8	16.5	8.7	2.2	12.8	7.8	1.0	6.3	5.5	1.0	4.8	4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Schuyler

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	57.8	575.9	67.5	62.4	505.1	57.0	22.6	237.6	44.6	22.2	168.7	31.9
Oral cavity and pharynx	0.6	6.3	7.2	0.4	3.7	5.1	0.0	0.0	0.0	0.0	0.0	0.0
Esophagus	0.6	5.9	6.8	0.2	1.2	2.4	1.2	11.4	9.2	0.2	1.2	2.4
Stomach	1.4	13.1	9.8	0.4	3.3	4.6	0.8	8.0	7.9	0.2	1.7	3.3
Colorectal	6.6	69.9	24.4	9.0	67.0	20.0	2.8	30.9	16.6	3.0	21.4	11.0
Colon excluding rectum	4.8	52.1	21.3	6.4	47.6	16.8	2.6	28.6	16.0	2.2	14.8	8.8
Rectum & rectosigmoid	1.8	17.8	11.9	2.6	19.4	10.8	0.2	2.3	4.5	0.8	6.6	6.6
Liver / intrahepatic bile duct	0.6	6.9	8.0	0.4	2.4	3.4	0.2	1.7	3.3	0.8	5.7	5.7
Pancreas	1.4	14.3	10.9	0.8	7.3	7.2	0.4	4.0	5.6	1.0	8.9	7.9
Larynx	0.2	2.3	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung and bronchus	9.0	91.8	27.1	9.8	80.8	22.9	8.6	89.0	27.0	6.0	49.7	18.0
Melanoma of the skin	2.4	25.2	14.7	1.6	13.0	9.2	1.0	10.2	9.3	0.2	1.2	2.3
Female breast				17.4	144.7	30.8				3.0	24.2	12.4
Cervix uteri				1.0	8.8	7.9				0.0	0.0	0.0
Corpus uterus and NOS				4.6	39.2	16.2				0.4	2.9	4.1
Ovary				2.0	16.8	10.7				1.2	8.4	6.9
Prostate	18.8	176.1	36.1				0.6	6.1	7.0			
Testis	0.6	7.3	8.3				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	4.4	44.7	18.9	1.4	11.2	8.5	1.0	11.0	9.6	0.2	1.2	2.3
Kidney and renal pelvis	1.2	11.9	9.6	1.8	14.3	9.5	0.8	9.8	9.7	0.4	2.5	3.5
Brain and other nervous system	0.8	7.7	7.6	0.8	6.3	6.4	0.6	6.0	6.8	0.6	4.0	4.6
Thyroid	0.0	0.0	0.0	1.2	12.0	9.8	0.0	0.0	0.0	0.2	1.7	3.3
Hodgkin lymphoma	0.8	7.3	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	2.6	26.4	14.7	3.2	24.7	12.2	0.6	5.5	6.3	1.8	13.1	8.7
Multiple myeloma	0.6	5.5	6.2	0.6	4.9	5.5	0.6	6.3	7.1	0.4	3.3	4.5
Leukemias	2.2	22.0	13.0	1.4	10.1	7.6	1.4	13.3	9.9	0.6	4.0	4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	108.6	614.2	51.9	97.4	477.4	43.0	41.8	244.5	33.4	39.2	179.9	25.5
Oral cavity and pharynx	3.2	18.1	8.9	1.8	7.7	5.1	0.6	3.3	3.7	0.4	1.4	2.0
Esophagus	1.4	7.8	5.8	0.8	3.6	3.6	1.0	6.2	5.5	0.8	3.4	3.4
Stomach	1.8	10.4	6.9	1.0	4.4	3.9	0.8	4.5	4.4	0.4	1.6	2.2
Colorectal	11.4	65.3	17.1	11.0	49.5	13.2	3.8	22.0	10.0	5.8	25.3	9.3
Colon excluding rectum	8.2	47.9	14.8	8.8	38.6	11.5	3.2	18.8	9.3	4.0	17.3	7.7
Rectum & rectosigmoid	3.2	17.4	8.5	2.2	10.9	6.5	0.6	3.2	3.6	1.8	7.9	5.3
Liver / intrahepatic bile duct	1.4	8.2	6.1	0.8	3.6	3.6	0.8	5.0	5.0	0.4	1.6	2.2
Pancreas	2.8	15.8	8.3	3.0	12.8	6.6	2.0	11.2	6.9	2.8	12.0	6.4
Larynx	1.2	6.6	5.3	0.6	2.6	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Lung and bronchus	20.4	114.0	22.2	14.0	68.6	16.2	16.6	94.0	20.3	8.2	39.4	12.2
Melanoma of the skin	4.4	25.0	10.5	2.2	12.1	7.2	1.4	8.2	6.1	0.4	2.0	2.7
Female breast				27.6	137.7	23.2				5.6	25.7	9.6
Cervix uteri				1.6	9.0	6.3				0.2	1.1	2.1
Corpus uterus and NOS				6.8	34.2	11.6				2.0	9.8	6.1
Ovary				3.2	16.5	8.2				2.2	10.5	6.3
Prostate	33.8	188.8	28.6				4.8	30.7	12.4			
Testis	1.0	5.7	5.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	9.0	52.0	15.3	2.4	11.3	6.5	1.4	8.7	6.5	0.4	1.8	2.5
Kidney and renal pelvis	2.8	15.7	8.2	3.4	16.5	8.0	0.6	3.3	3.7	1.2	5.1	4.1
Brain and other nervous system	1.4	7.8	5.8	1.0	5.3	4.7	0.6	3.3	3.7	0.2	1.2	2.4
Thyroid	0.6	3.3	3.8	2.0	13.1	8.2	0.2	1.1	2.1	0.0	0.0	0.0
Hodgkin lymphoma	1.0	5.5	4.9	0.6	3.0	3.5	0.4	2.3	3.1	0.2	0.8	1.6
Non-Hodgkin lymphomas	2.6	14.8	8.1	3.4	16.9	8.3	1.8	10.4	6.8	1.0	4.2	3.7
Multiple myeloma	1.4	8.6	6.4	1.0	4.9	4.3	0.6	3.4	3.8	0.4	1.8	2.5
Leukemias	3.4	19.8	9.5	3.4	16.2	7.9	1.4	8.4	6.3	2.4	11.1	6.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Steuben

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	292.4	566.8	29.3	275.6	445.5	23.8	122.8	245.4	19.6	118.4	181.3	14.8
Oral cavity and pharynx	10.6	20.2	5.5	4.4	6.9	2.9	2.8	5.1	2.7	0.2	0.2	0.5
Esophagus	3.8	7.4	3.4	0.8	1.1	1.0	4.8	9.2	3.7	0.8	1.2	1.1
Stomach	5.6	10.9	4.1	2.2	3.1	1.9	2.2	4.3	2.5	1.0	1.4	1.2
Colorectal	30.0	59.5	9.6	38.8	58.1	8.3	12.6	25.4	6.3	12.8	18.5	4.6
Colon excluding rectum	20.6	40.9	8.0	29.4	43.9	7.2	9.0	18.2	5.4	11.2	16.2	4.3
Rectum & rectosigmoid	9.4	18.6	5.4	9.4	14.2	4.1	3.6	7.2	3.3	1.6	2.3	1.6
Liver / intrahepatic bile duct	3.8	7.2	3.3	2.0	2.9	1.8	2.2	4.2	2.5	1.6	2.4	1.7
Pancreas	6.6	13.3	4.6	6.6	9.8	3.4	5.4	11.0	4.2	6.4	9.3	3.3
Larynx	4.0	7.5	3.3	1.0	1.7	1.5	2.0	3.8	2.4	0.4	0.6	0.8
Lung and bronchus	49.2	94.7	11.9	37.8	59.6	8.6	41.4	80.4	11.0	31.0	48.3	7.7
Melanoma of the skin	11.2	22.2	5.9	8.2	14.6	4.5	1.6	3.6	2.5	1.4	2.3	1.7
Female breast				79.0	132.6	13.2				18.0	28.5	6.0
Cervix uteri				5.0	9.3	3.7				2.0	3.6	2.3
Corpus uterus and NOS				17.8	29.8	6.3				3.8	5.9	2.7
Ovary				9.6	15.1	4.3				7.0	10.7	3.6
Prostate	78.8	149.6	14.9				13.4	29.3	7.1			
Testis	2.8	6.3	3.3				0.2	0.4	0.8			
Urinary bladder (incl. in situ)	21.8	42.7	8.1	7.2	10.9	3.6	4.0	8.1	3.6	2.2	3.3	1.9
Kidney and renal pelvis	10.8	20.5	5.5	7.2	12.1	4.0	2.4	4.6	2.6	1.4	2.2	1.7
Brain and other nervous system	3.8	7.2	3.2	4.0	6.6	2.9	2.0	3.8	2.4	2.0	3.2	2.0
Thyroid	0.6	1.1	1.3	3.4	6.5	3.2	0.2	0.4	0.7	0.4	0.7	0.9
Hodgkin lymphoma	1.0	2.0	1.8	0.8	1.7	1.7	0.4	0.7	1.0	0.4	0.7	1.0
Non-Hodgkin lymphomas	11.6	22.9	5.9	9.2	14.3	4.1	3.6	7.0	3.2	4.6	7.2	3.0
Multiple myeloma	3.8	7.8	3.5	2.8	4.1	2.2	3.0	6.1	3.1	2.8	4.0	2.1
Leukemias	10.0	19.5	5.5	6.6	10.5	3.6	5.0	10.1	4.0	4.2	6.5	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Suffolk

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3777.0	608.9	8.9	3792.0	478.0	6.8	1360.8	237.4	5.8	1444.6	179.4	4.2
Oral cavity and pharynx	83.8	12.8	1.3	44.4	5.5	0.7	19.8	3.2	0.7	10.6	1.3	0.4
Esophagus	51.0	8.2	1.0	16.8	2.0	0.4	47.0	7.7	1.0	16.4	2.0	0.4
Stomach	89.0	14.8	1.4	49.0	6.1	0.8	40.0	7.0	1.0	27.8	3.4	0.6
Colorectal	447.6	74.5	3.2	439.6	54.7	2.3	148.0	26.3	2.0	156.0	19.1	1.3
Colon excluding rectum	310.8	52.6	2.7	338.0	41.9	2.0	127.6	22.8	1.8	140.6	17.2	1.3
Rectum & rectosigmoid	136.8	21.9	1.7	101.6	12.7	1.1	20.4	3.5	0.7	15.4	1.9	0.4
Liver / intrahepatic bile duct	43.2	6.6	0.9	20.2	2.5	0.5	31.4	5.2	0.8	23.4	2.9	0.5
Pancreas	90.8	15.3	1.4	102.6	12.8	1.1	80.4	14.0	1.4	95.8	11.9	1.1
Larynx	44.8	7.1	1.0	13.8	1.8	0.4	17.2	2.9	0.6	3.4	0.4	0.2
Lung and bronchus	536.4	88.9	3.5	520.8	65.6	2.5	402.8	68.2	3.1	359.0	45.0	2.1
Melanoma of the skin	119.0	18.7	1.5	93.2	11.9	1.1	25.8	4.3	0.8	17.0	2.1	0.5
Female breast				1143.2	144.2	3.7				245.0	30.4	1.7
Cervix uteri				71.6	9.2	1.0				21.8	2.8	0.5
Corpus uterus and NOS				241.8	30.3	1.7				39.6	4.9	0.7
Ovary				125.2	15.8	1.2				74.8	9.4	1.0
Prostate	1111.8	176.4	4.7				124.2	25.4	2.1			
Testis	54.0	7.6	0.9				2.2	0.3	0.2			
Urinary bladder (incl. in situ)	298.0	50.4	2.6	105.0	13.0	1.1	54.8	10.3	1.3	18.8	2.2	0.5
Kidney and renal pelvis	138.4	21.2	1.6	81.8	10.4	1.0	35.2	5.8	0.9	21.4	2.6	0.5
Brain and other nervous system	65.0	9.5	1.0	55.0	7.2	0.9	29.2	4.3	0.7	26.8	3.4	0.6
Thyroid	45.4	6.4	0.8	121.0	15.8	1.3	3.2	0.5	0.3	4.8	0.6	0.2
Hodgkin lymphoma	25.4	3.7	0.6	27.0	3.8	0.6	4.2	0.6	0.3	4.2	0.6	0.2
Non-Hodgkin lymphomas	153.4	24.0	1.7	139.0	17.6	1.3	55.2	9.3	1.1	49.4	6.2	0.8
Multiple myeloma	46.6	7.8	1.0	39.8	5.0	0.7	26.0	4.7	0.8	21.2	2.6	0.5
Leukemias	108.2	17.9	1.6	84.6	10.6	1.0	56.4	9.6	1.1	46.8	5.8	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Sullivan

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	223.4	561.3	33.5	216.0	499.1	30.0	99.4	263.9	23.8	87.8	195.2	18.4
Oral cavity and pharynx	6.8	17.1	5.8	3.8	8.5	3.8	2.0	4.9	3.0	1.0	2.2	1.9
Esophagus	4.2	10.3	4.4	1.6	3.4	2.4	4.4	12.0	5.1	1.2	2.6	2.1
Stomach	4.6	11.4	4.7	2.6	6.0	3.3	2.4	5.6	3.2	1.6	3.7	2.7
Colorectal	26.2	65.0	11.3	24.0	52.7	9.5	10.4	26.9	7.5	9.0	19.1	5.6
Colon excluding rectum	17.8	45.0	9.5	19.0	41.8	8.4	8.2	21.6	6.8	7.6	16.1	5.1
Rectum & rectosigmoid	8.4	20.0	6.1	5.0	10.9	4.3	2.2	5.3	3.2	1.4	3.0	2.3
Liver / intrahepatic bile duct	4.6	11.0	4.5	2.2	4.7	2.8	4.0	10.5	4.8	1.8	3.8	2.5
Pancreas	5.6	15.0	5.8	4.6	10.3	4.2	4.6	12.9	5.4	5.0	11.2	4.4
Larynx	5.0	12.4	5.0	1.6	4.0	2.8	0.8	2.3	2.4	0.2	0.5	0.9
Lung and bronchus	41.2	102.5	14.2	32.4	72.5	11.2	31.0	78.5	12.6	21.8	48.6	9.1
Melanoma of the skin	4.0	9.8	4.4	3.4	7.7	3.7	0.4	0.9	1.2	0.6	1.2	1.4
Female breast				57.8	135.0	15.7				11.6	26.2	6.8
Cervix uteri				6.0	15.0	5.4				1.4	3.4	2.5
Corpus uterus and NOS				14.0	32.3	7.6				2.0	4.4	2.7
Ovary				6.8	15.5	5.2				4.6	9.9	4.1
Prostate	57.2	140.1	16.5				12.8	38.8	9.8			
Testis	1.4	3.7	2.8				0.4	1.1	1.5			
Urinary bladder (incl. in situ)	18.6	49.6	10.3	7.6	17.1	5.4	3.6	9.8	4.6	1.6	3.6	2.5
Kidney and renal pelvis	4.6	10.7	4.4	5.0	11.3	4.5	1.4	3.8	2.9	0.6	1.4	1.6
Brain and other nervous system	3.4	8.7	4.2	4.4	10.9	4.6	2.0	5.0	3.2	1.6	3.6	2.5
Thyroid	2.0	4.7	2.9	6.6	18.0	6.2	0.2	0.4	0.8	1.0	2.2	1.9
Hodgkin lymphoma	1.4	3.9	2.9	1.0	2.7	2.4	0.2	0.5	1.0	0.2	0.5	0.9
Non-Hodgkin lymphomas	9.0	22.4	6.7	8.0	19.0	6.0	4.0	9.8	4.3	4.2	9.6	4.2
Multiple myeloma	2.6	7.0	3.9	1.8	4.1	2.7	1.4	3.7	2.8	2.2	4.7	2.8
Leukemias	6.2	16.5	5.9	6.4	15.2	5.4	3.6	9.7	4.6	3.2	7.5	3.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Tioga

Site of Cancer	Males			Incidence			Females			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	150.0	609.1	45.0	124.8	416.3	32.9	57.8	249.1	29.8	48.4	157.2	19.9			
Oral cavity and pharynx	2.2	8.5	5.2	1.6	5.3	3.7	1.6	6.8	5.0	0.4	1.4	1.9			
Esophagus	2.0	8.1	5.3	1.0	3.4	3.0	1.6	6.2	4.3	0.4	1.3	1.9			
Stomach	2.8	12.4	6.8	2.0	6.4	4.0	1.4	6.5	5.1	1.4	4.3	3.2			
Colorectal	16.6	67.4	15.0	16.4	53.8	11.7	7.2	31.5	10.6	6.0	19.3	7.0			
Colon excluding rectum	12.0	48.8	12.7	12.8	41.9	10.3	5.8	26.0	9.8	4.8	15.4	6.2			
Rectum & rectosigmoid	4.6	18.6	7.9	3.6	11.9	5.5	1.4	5.5	4.1	1.2	3.9	3.2			
Liver / intrahepatic bile duct	2.4	9.6	5.7	0.4	1.6	2.2	1.8	7.5	5.1	0.4	1.2	1.7			
Pancreas	4.6	16.6	6.8	2.6	8.5	4.7	3.8	14.4	6.6	2.2	7.1	4.2			
Larynx	1.8	7.0	4.8	1.0	3.4	3.0	0.0	0.0	0.0	0.0	0.0	0.0			
Lung and bronchus	20.6	81.4	16.1	16.0	51.9	11.4	16.8	68.5	15.0	12.4	40.0	10.0			
Melanoma of the skin	7.8	30.5	9.8	3.6	12.4	5.8	0.8	3.6	3.7	0.6	2.0	2.3			
Female breast				33.8	113.3	17.2				6.6	21.4	7.3			
Cervix uteri				1.4	4.8	3.5				0.2	0.8	1.5			
Corpus uterus and NOS				8.6	28.9	8.7				1.4	4.6	3.4			
Ovary				3.2	11.6	5.7				2.0	6.9	4.3			
Prostate	45.0	180.5	24.3				6.0	29.3	10.9						
Testis	1.4	6.1	4.6				0.2	0.7	1.3						
Urinary bladder (incl. in situ)	11.4	49.1	13.2	3.8	12.4	5.6	2.0	10.1	6.6	1.2	3.5	2.8			
Kidney and renal pelvis	5.8	22.7	8.5	4.4	14.9	6.2	0.8	3.1	3.1	1.2	4.1	3.3			
Brain and other nervous system	3.4	14.2	6.9	2.0	7.3	4.6	1.8	7.1	4.7	1.4	4.8	3.6			
Thyroid	2.2	8.1	4.8	3.0	11.0	5.7	0.2	0.7	1.3	0.0	0.0	0.0			
Hodgkin lymphoma	1.0	4.6	4.2	1.4	5.0	3.8	0.2	1.5	2.9	0.0	0.0	0.0			
Non-Hodgkin lymphomas	3.8	14.5	6.6	5.6	18.4	6.8	1.8	7.7	5.1	3.0	9.5	4.8			
Multiple myeloma	1.8	7.3	4.8	1.8	5.8	3.8	2.0	9.2	5.9	0.2	0.7	1.4			
Leukemias	6.0	27.0	10.0	2.6	8.3	4.5	2.0	9.3	6.1	1.8	5.8	3.8			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Tompkins

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	191.4	566.2	36.5	185.2	419.4	27.4	64.6	203.9	22.6	79.8	172.2	17.2
Oral cavity and pharynx	5.0	14.1	5.6	1.8	4.4	2.9	0.4	1.1	1.6	0.6	1.3	1.5
Esophagus	2.4	6.6	3.8	0.8	1.8	1.8	2.4	7.0	4.1	0.6	1.5	1.7
Stomach	4.0	12.4	5.5	2.2	4.5	2.7	2.2	6.4	3.8	2.2	4.1	2.5
Colorectal	21.6	65.9	12.6	25.6	55.9	9.9	8.2	26.2	8.2	11.0	22.1	5.9
Colon excluding rectum	14.8	46.2	10.7	19.2	41.8	8.5	7.6	24.2	7.8	8.4	16.9	5.2
Rectum & rectosigmoid	6.8	19.7	6.7	6.4	14.1	5.0	0.6	2.0	2.3	2.6	5.2	2.9
Liver / intrahepatic bile duct	2.0	6.3	4.0	1.8	3.9	2.6	0.8	2.5	2.5	0.4	0.8	1.1
Pancreas	4.0	11.3	5.1	4.2	9.2	4.0	4.6	13.9	5.8	3.6	7.8	3.7
Larynx	2.2	6.1	3.6	1.0	2.4	2.1	1.0	3.2	2.9	0.6	1.5	1.7
Lung and bronchus	19.4	59.0	11.9	26.8	61.8	10.6	17.8	55.9	11.8	21.2	48.0	9.2
Melanoma of the skin	5.8	14.9	5.5	8.6	18.8	5.7	1.8	5.0	3.3	1.6	3.3	2.3
Female breast				54.8	126.7	15.1				10.6	23.1	6.3
Cervix uteri				2.0	4.7	2.9				1.0	2.4	2.1
Corpus uterus and NOS				9.0	20.9	6.2				1.8	4.0	2.7
Ovary				4.0	9.5	4.2				3.8	8.9	4.0
Prostate	74.4	220.7	22.7				7.0	24.6	8.2			
Testis	1.6	3.9	2.8				0.2	0.2	0.3			
Urinary bladder (incl. in situ)	16.0	49.5	11.0	5.0	11.3	4.5	2.8	9.1	4.8	1.8	3.7	2.5
Kidney and renal pelvis	4.6	14.0	5.8	2.8	6.7	3.5	1.4	4.8	3.6	0.6	1.2	1.4
Brain and other nervous system	2.4	7.0	4.1	3.2	7.9	4.0	2.6	7.5	4.2	1.8	4.1	2.7
Thyroid	1.0	2.7	2.4	3.6	7.5	3.6	0.2	0.7	1.3	0.0	0.0	0.0
Hodgkin lymphoma	2.4	6.3	3.7	1.2	1.4	1.3	0.0	0.0	0.0	0.2	0.5	1.0
Non-Hodgkin lymphomas	7.6	21.9	7.2	8.8	19.8	5.9	1.4	4.5	3.4	3.8	7.6	3.5
Multiple myeloma	2.4	7.1	4.1	1.4	3.1	2.3	1.2	4.1	3.3	1.2	2.5	2.0
Leukemias	3.6	10.0	4.8	4.0	9.6	4.3	2.0	6.2	3.9	2.2	4.9	2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Ulster

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	486.0	567.8	22.9	483.6	459.4	18.4	203.4	249.5	15.6	200.4	181.2	11.3
Oral cavity and pharynx	11.8	12.9	3.3	6.2	5.8	2.1	3.6	4.2	2.0	2.0	1.7	1.1
Esophagus	9.0	10.0	3.0	2.8	2.5	1.3	9.6	10.7	3.1	2.2	2.0	1.2
Stomach	10.0	12.3	3.5	4.8	4.3	1.7	2.8	3.7	2.0	3.2	2.7	1.3
Colorectal	59.0	70.2	8.1	54.6	49.6	5.9	22.4	27.7	5.2	21.2	18.3	3.5
Colon excluding rectum	42.4	51.2	7.0	41.4	37.3	5.1	19.6	24.4	4.9	18.4	15.8	3.3
Rectum & rectosigmoid	16.6	19.0	4.1	13.2	12.2	3.0	2.8	3.3	1.8	2.8	2.5	1.3
Liver / intrahepatic bile duct	8.2	9.6	3.0	3.2	3.1	1.5	6.6	7.7	2.7	3.4	3.1	1.5
Pancreas	12.8	15.4	3.8	15.6	14.1	3.2	11.4	13.9	3.7	12.6	11.1	2.8
Larynx	7.8	8.6	2.7	2.2	2.1	1.2	2.8	3.1	1.7	1.2	1.1	0.9
Lung and bronchus	73.4	85.6	8.9	75.0	70.8	7.2	59.8	70.8	8.1	52.8	48.9	5.9
Melanoma of the skin	14.2	16.5	3.9	10.6	10.4	2.8	4.0	4.8	2.1	1.4	1.4	1.0
Female breast				138.8	133.9	10.0				28.0	25.9	4.3
Cervix uteri				9.2	9.2	2.7				3.2	3.0	1.5
Corpus uterus and NOS				29.2	28.0	4.6				7.0	6.2	2.1
Ovary				18.0	17.1	3.6				10.8	9.9	2.6
Prostate	140.4	164.2	12.3				23.6	34.0	6.3			
Testis	5.6	6.1	2.3				0.4	0.4	0.6			
Urinary bladder (incl. in situ)	31.6	38.1	6.1	15.6	14.4	3.2	8.0	10.1	3.2	4.0	3.5	1.5
Kidney and renal pelvis	14.2	16.1	3.8	10.2	9.6	2.7	4.8	5.8	2.4	3.2	2.9	1.4
Brain and other nervous system	7.8	9.0	2.9	6.0	6.0	2.2	4.4	5.1	2.2	3.6	3.3	1.5
Thyroid	3.8	4.1	1.9	10.2	11.0	3.0	0.2	0.2	0.4	0.4	0.3	0.5
Hodgkin lymphoma	4.2	4.9	2.1	3.4	3.8	1.8	0.8	1.0	1.0	0.8	0.7	0.7
Non-Hodgkin lymphomas	16.8	19.3	4.2	17.6	16.7	3.5	6.2	7.2	2.6	8.0	7.2	2.2
Multiple myeloma	6.6	7.8	2.7	3.4	3.1	1.5	4.2	5.4	2.3	1.8	1.7	1.1
Leukemias	15.6	18.3	4.1	12.4	11.8	3.0	7.4	8.7	2.8	7.0	6.1	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Warren

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	196.0	595.7	37.7	181.2	440.9	29.1	79.2	249.9	25.0	76.6	175.0	17.7
Oral cavity and pharynx	7.4	22.2	7.3	4.0	9.3	4.1	1.4	4.4	3.3	1.2	2.8	2.3
Esophagus	3.8	11.5	5.2	0.8	1.6	1.6	2.6	7.8	4.2	1.0	2.1	1.9
Stomach	3.2	9.6	4.8	1.8	4.3	2.9	2.0	6.2	3.9	0.6	1.4	1.6
Colorectal	21.2	65.0	12.5	24.0	55.7	10.1	7.4	23.2	7.6	8.8	19.0	5.7
Colon excluding rectum	15.0	46.8	10.7	18.2	42.1	8.8	4.0	13.1	5.9	6.0	12.9	4.6
Rectum & rectosigmoid	6.2	18.2	6.5	5.8	13.6	5.0	3.4	10.0	4.8	2.8	6.1	3.2
Liver / intrahepatic bile duct	1.8	5.8	3.9	0.6	1.2	1.4	1.6	5.1	3.6	0.6	1.4	1.6
Pancreas	3.4	10.8	5.2	5.6	12.5	4.7	3.6	11.2	5.3	4.8	10.7	4.3
Larynx	2.6	7.4	4.0	0.4	0.9	1.2	1.6	4.3	3.0	0.4	1.0	1.4
Lung and bronchus	32.0	95.5	14.9	26.6	63.1	10.8	24.0	72.3	13.1	17.4	41.2	8.7
Melanoma of the skin	7.8	23.8	7.5	6.0	15.6	5.7	0.8	2.3	2.3	1.2	3.1	2.5
Female breast				51.2	126.8	15.7				13.4	32.4	7.9
Cervix uteri				3.0	8.0	4.1				1.2	2.8	2.3
Corpus uterus and NOS				10.2	24.9	6.9				2.6	5.8	3.2
Ovary				5.4	14.7	5.6				3.4	8.1	3.9
Prostate	54.2	161.1	19.4				7.8	25.9	8.3			
Testis	3.2	10.3	5.1				0.2	0.6	1.3			
Urinary bladder (incl. in situ)	12.6	38.4	9.6	4.6	10.4	4.3	1.8	5.7	3.8	1.2	2.6	2.1
Kidney and renal pelvis	5.8	17.4	6.4	3.8	9.2	4.2	1.8	5.8	3.8	1.8	4.0	2.6
Brain and other nervous system	3.6	11.1	5.2	1.4	3.4	2.5	2.2	6.8	4.0	0.6	1.4	1.6
Thyroid	0.8	2.5	2.5	4.4	13.1	5.6	0.2	0.7	1.3	0.2	0.4	0.9
Hodgkin lymphoma	0.6	2.0	2.2	1.2	3.6	3.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	8.6	26.8	8.1	6.2	14.8	5.3	1.8	6.3	4.2	2.8	6.1	3.2
Multiple myeloma	2.4	7.1	4.0	1.6	3.9	2.7	2.2	6.8	4.1	0.8	1.8	1.8
Leukemias	7.2	23.0	7.6	3.8	8.9	4.1	4.8	15.5	6.3	2.8	5.8	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Washington

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	182.2	601.3	39.6	163.2	451.0	31.2	79.8	276.5	27.7	69.4	180.9	19.2
Oral cavity and pharynx	7.6	25.3	8.2	2.8	7.5	4.0	1.8	6.5	4.4	0.2	0.5	0.9
Esophagus	3.2	10.4	5.1	1.6	4.2	3.0	3.0	10.0	5.1	1.6	4.1	2.9
Stomach	3.2	10.9	5.5	1.8	4.9	3.2	1.4	5.3	4.1	0.8	2.0	2.0
Colorectal	18.4	61.8	12.8	21.8	57.1	10.8	7.0	24.5	8.3	9.0	22.4	6.6
Colon excluding rectum	12.2	41.4	10.6	17.8	46.4	9.7	5.0	17.8	7.1	7.0	17.3	5.8
Rectum & rectosigmoid	6.2	20.5	7.3	4.0	10.7	4.7	2.0	6.7	4.2	2.0	5.1	3.2
Liver / intrahepatic bile duct	2.6	8.4	4.6	1.6	4.1	2.9	2.0	6.7	4.2	1.4	3.5	2.6
Pancreas	4.6	16.3	6.8	4.4	11.6	4.9	3.6	12.1	5.7	5.4	13.7	5.2
Larynx	3.6	11.6	5.4	1.8	5.1	3.4	1.2	4.1	3.3	0.4	1.3	1.8
Lung and bronchus	35.8	116.9	17.3	23.2	62.1	11.4	29.4	97.3	15.9	17.6	46.7	9.8
Melanoma of the skin	6.2	19.9	7.1	3.2	9.1	4.6	0.8	3.3	3.3	1.2	3.1	2.5
Female breast				49.4	140.1	17.6				7.2	19.0	6.2
Cervix uteri				3.6	10.5	4.9				1.4	3.8	2.9
Corpus uterus and NOS				10.6	29.6	8.0				2.8	6.9	3.6
Ovary				6.6	18.7	6.4				2.8	7.2	3.8
Prostate	47.8	156.4	20.0				5.8	22.8	8.4			
Testis	2.6	8.1	4.4				0.2	0.7	1.3			
Urinary bladder (incl. in situ)	12.0	41.2	10.6	4.4	12.0	5.0	2.8	9.5	5.0	0.6	1.4	1.6
Kidney and renal pelvis	5.6	17.6	6.6	2.2	5.9	3.5	1.8	6.0	4.0	0.8	2.1	2.0
Brain and other nervous system	1.4	4.3	3.2	1.8	5.6	3.7	1.2	3.8	3.0	0.8	2.6	2.5
Thyroid	1.2	3.8	3.1	4.4	14.0	5.9	0.2	0.7	1.4	0.0	0.0	0.0
Hodgkin lymphoma	1.2	3.8	3.0	0.4	1.3	1.8	0.0	0.0	0.0	0.4	1.2	1.7
Non-Hodgkin lymphomas	6.6	20.4	7.0	5.4	14.6	5.5	3.4	11.4	5.5	4.2	10.5	4.5
Multiple myeloma	1.8	5.7	3.7	1.2	3.2	2.6	1.4	5.2	3.9	0.6	1.5	1.7
Leukemias	5.0	18.1	7.3	3.2	9.0	4.5	3.6	14.2	6.7	2.6	7.0	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Wayne

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	253.0	605.7	34.0	236.6	458.9	26.3	100.0	250.0	22.3	92.8	175.1	16.1
Oral cavity and pharynx	8.8	19.2	5.7	2.8	5.8	3.1	1.6	4.4	3.1	0.2	0.4	0.8
Esophagus	3.4	7.9	3.8	1.8	3.5	2.3	3.8	9.1	4.2	1.6	3.1	2.1
Stomach	5.0	12.4	5.0	1.6	3.0	2.1	2.2	5.9	3.6	0.8	1.3	1.3
Colorectal	30.0	74.2	12.1	28.2	53.7	8.9	11.0	28.0	7.5	9.0	16.8	5.0
Colon excluding rectum	19.2	48.4	9.9	20.6	39.3	7.7	7.6	19.9	6.4	6.8	12.8	4.3
Rectum & rectosigmoid	10.8	25.8	7.0	7.6	14.3	4.6	3.4	8.1	3.9	2.2	4.0	2.4
Liver / intrahepatic bile duct	3.6	8.4	4.0	0.8	1.6	1.6	2.6	6.5	3.6	0.8	1.6	1.6
Pancreas	6.6	16.0	5.5	7.2	13.2	4.4	5.6	13.6	5.1	6.6	12.2	4.2
Larynx	4.0	8.9	4.0	1.2	2.4	1.9	1.0	2.5	2.2	1.0	2.0	1.7
Lung and bronchus	40.0	94.7	13.3	32.8	63.9	9.8	30.0	71.8	11.7	23.0	44.7	8.2
Melanoma of the skin	6.6	15.3	5.3	5.0	10.0	3.9	1.2	2.7	2.2	1.8	3.5	2.3
Female breast				69.6	135.0	14.2				15.0	28.0	6.4
Cervix uteri				3.4	6.7	3.2				1.8	3.4	2.2
Corpus uterus and NOS				15.6	30.8	6.9				2.8	5.2	2.8
Ovary				9.6	18.5	5.3				3.8	6.9	3.1
Prostate	69.0	168.2	18.1				10.4	29.6	8.2			
Testis	3.0	6.5	3.3				0.2	0.4	0.8			
Urinary bladder (incl. in situ)	17.8	45.3	9.6	8.0	15.1	4.7	3.6	9.7	4.6	1.8	2.9	1.9
Kidney and renal pelvis	7.0	16.2	5.5	4.6	8.9	3.6	2.0	4.6	2.9	1.4	2.6	1.9
Brain and other nervous system	2.4	5.4	3.1	3.6	7.1	3.3	1.2	2.7	2.2	2.2	4.3	2.5
Thyroid	2.4	5.4	3.1	2.8	6.0	3.2	0.2	0.6	1.1	0.0	0.0	0.0
Hodgkin lymphoma	2.2	5.3	3.1	0.8	1.4	1.4	0.0	0.0	0.0	0.2	0.3	0.6
Non-Hodgkin lymphomas	12.4	28.9	7.3	11.4	22.9	6.0	4.6	11.6	4.8	4.0	7.7	3.4
Multiple myeloma	3.8	9.1	4.1	3.2	6.2	3.1	2.8	7.1	3.8	2.0	4.0	2.5
Leukemias	6.6	14.8	5.1	5.2	10.1	3.9	4.4	10.7	4.6	3.0	5.4	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Westchester

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2519.8	585.5	10.3	2527.2	439.6	7.7	894.8	216.4	6.4	942.0	155.0	4.5
Oral cavity and pharynx	57.8	13.0	1.5	33.0	5.7	0.9	13.2	3.1	0.7	8.4	1.3	0.4
Esophagus	32.0	7.5	1.2	15.2	2.6	0.6	27.6	6.5	1.1	12.8	2.1	0.5
Stomach	57.4	13.6	1.6	39.0	6.3	0.9	32.4	7.8	1.2	25.0	4.0	0.7
Colorectal	289.4	68.2	3.5	288.0	47.1	2.5	97.8	23.8	2.1	107.0	16.7	1.4
Colon excluding rectum	206.6	49.1	3.0	224.0	36.3	2.2	85.4	20.9	2.0	95.0	14.8	1.3
Rectum & rectosigmoid	82.8	19.1	1.9	64.0	10.8	1.2	12.4	2.9	0.7	12.0	1.9	0.5
Liver / intrahepatic bile duct	38.2	8.8	1.3	19.6	3.3	0.7	28.0	6.6	1.1	16.8	2.7	0.6
Pancreas	63.4	15.0	1.7	72.8	11.9	1.2	59.8	14.2	1.6	61.4	9.9	1.1
Larynx	33.2	7.5	1.1	6.2	1.1	0.4	7.8	1.8	0.6	2.6	0.4	0.2
Lung and bronchus	310.8	73.1	3.7	309.4	52.7	2.6	232.0	55.2	3.2	204.4	34.1	2.1
Melanoma of the skin	85.8	19.6	1.9	53.2	9.4	1.1	13.6	3.2	0.8	9.4	1.6	0.5
Female breast				776.2	138.2	4.4				154.6	25.9	1.8
Cervix uteri				39.2	7.4	1.0				11.0	2.0	0.5
Corpus uterus and NOS				164.2	29.0	2.0				30.2	4.9	0.8
Ovary				92.4	16.4	1.5				59.4	10.1	1.2
Prostate	799.8	183.0	5.7				109.6	28.3	2.4			
Testis	27.0	6.1	1.0				0.6	0.1	0.1			
Urinary bladder (incl. in situ)	187.4	44.9	2.9	79.4	13.2	1.3	31.8	8.1	1.3	17.2	2.7	0.6
Kidney and renal pelvis	83.8	19.0	1.8	50.2	8.8	1.1	19.8	4.7	0.9	13.4	2.2	0.5
Brain and other nervous system	40.4	9.3	1.3	35.4	6.6	1.0	21.2	4.9	0.9	19.4	3.5	0.7
Thyroid	26.8	5.9	1.0	80.6	15.8	1.6	1.6	0.4	0.3	3.0	0.5	0.2
Hodgkin lymphoma	21.8	5.0	0.9	15.8	3.3	0.7	2.6	0.6	0.3	2.6	0.5	0.3
Non-Hodgkin lymphomas	110.0	25.5	2.1	107.4	18.5	1.6	42.0	9.9	1.4	37.4	6.0	0.9
Multiple myeloma	37.4	8.8	1.3	28.2	4.7	0.8	22.6	5.4	1.0	15.4	2.5	0.6
Leukemias	80.8	19.3	1.9	55.4	9.6	1.1	47.8	11.7	1.5	29.4	4.8	0.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Wyoming

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	117.2	603.0	49.9	100.2	433.0	38.3	50.2	273.3	34.5	41.8	172.7	23.7
Oral cavity and pharynx	3.2	14.9	7.4	1.0	4.5	3.9	1.2	6.5	5.3	0.0	0.0	0.0
Esophagus	1.8	8.7	5.7	0.6	2.4	2.8	1.4	7.0	5.2	0.8	3.1	3.0
Stomach	1.4	7.6	5.8	2.8	10.9	5.8	0.8	4.5	4.4	1.0	4.0	3.6
Colorectal	14.6	82.5	19.4	12.6	51.7	12.9	6.4	38.7	13.6	6.0	23.2	8.4
Colon excluding rectum	9.8	57.9	16.5	10.4	42.2	11.6	5.6	34.1	12.8	5.4	21.2	8.1
Rectum & rectosigmoid	4.8	24.6	10.1	2.2	9.6	5.7	0.8	4.6	4.6	0.6	1.9	2.2
Liver / intrahepatic bile duct	1.8	8.3	5.5	0.8	3.5	3.5	1.2	5.7	4.7	0.6	2.5	2.8
Pancreas	2.4	11.8	6.8	2.0	8.7	5.4	2.6	12.7	7.0	1.4	6.2	4.6
Larynx	1.2	5.6	4.5	0.6	2.8	3.1	0.4	1.8	2.6	0.0	0.0	0.0
Lung and bronchus	19.4	102.3	20.8	11.4	50.5	13.2	15.8	83.4	18.7	9.8	42.1	11.9
Melanoma of the skin	3.4	17.2	8.5	2.6	10.8	6.0	0.8	4.8	4.9	0.4	1.8	2.5
Female breast				29.6	128.7	20.9				6.0	25.0	9.1
Cervix uteri				1.6	7.4	5.2				1.2	5.0	4.1
Corpus uterus and NOS				8.8	38.6	11.5				1.4	6.1	4.5
Ovary				2.8	12.1	6.4				2.8	11.6	6.2
Prostate	31.0	164.1	26.2				5.6	34.0	12.8			
Testis	2.2	8.8	5.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	9.4	49.3	14.4	1.8	7.2	4.7	0.8	4.1	4.1	0.6	2.2	2.5
Kidney and renal pelvis	3.6	15.9	7.5	2.0	9.0	5.7	1.0	4.4	3.9	0.8	3.5	3.4
Brain and other nervous system	2.4	11.1	6.4	1.0	4.6	4.1	1.2	5.6	4.5	0.6	2.8	3.2
Thyroid	0.6	3.0	3.4	2.8	13.4	7.1	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.4	5.3	4.0	0.8	4.0	3.9	0.6	3.3	3.7	0.0	0.0	0.0
Non-Hodgkin lymphomas	5.0	25.3	10.2	5.0	22.7	9.0	2.0	12.3	7.7	1.2	4.2	3.4
Multiple myeloma	1.8	9.6	6.4	1.6	6.4	4.5	0.8	4.4	4.4	1.0	3.9	3.5
Leukemias	3.2	15.6	7.8	1.8	7.8	5.1	1.4	7.3	5.6	1.4	6.1	4.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
 Cancer Incidence and Mortality by County and Gender, 1999-2003

Yates

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	81.2	616.9	60.7	63.4	426.9	47.9	33.0	258.3	39.9	29.4	177.7	29.2
Oral cavity and pharynx	1.2	9.4	7.6	1.2	7.4	5.9	0.4	2.8	4.0	0.8	4.4	4.3
Esophagus	1.2	8.7	7.0	0.0	0.0	0.0	0.4	2.9	4.0	0.4	2.5	3.5
Stomach	1.0	7.4	6.5	1.6	10.4	7.4	0.2	1.3	2.6	0.8	4.9	4.9
Colorectal	11.6	91.8	24.0	6.0	38.3	13.9	4.2	33.7	14.6	3.4	21.0	10.3
Colon excluding rectum	9.6	76.7	22.0	4.6	28.6	11.9	3.4	28.0	13.5	2.8	15.6	8.2
Rectum & rectosigmoid	2.0	15.1	9.5	1.4	9.6	7.3	0.8	5.7	5.6	0.6	5.4	6.2
Liver / intrahepatic bile duct	0.6	4.2	4.8	0.0	0.0	0.0	0.8	5.8	5.7	0.0	0.0	0.0
Pancreas	0.8	6.5	6.5	2.2	13.0	7.9	1.0	7.9	7.0	2.6	15.5	8.6
Larynx	1.4	10.5	7.9	0.2	1.3	2.6	0.6	4.7	5.3	0.0	0.0	0.0
Lung and bronchus	11.8	86.0	22.1	10.4	67.3	18.4	9.6	71.6	20.4	8.2	51.7	16.0
Melanoma of the skin	2.4	17.6	10.0	1.6	12.2	8.6	0.4	2.9	4.0	0.4	2.4	3.4
Female breast				19.6	134.8	27.2				3.4	19.9	9.6
Cervix uteri				1.0	8.4	7.5				0.2	0.9	1.8
Corpus uterus and NOS				3.6	24.3	11.4				1.0	5.6	4.9
Ovary				3.0	21.5	11.2				1.4	8.4	6.3
Prostate	25.2	186.6	32.9				5.8	48.1	17.7			
Testis	1.2	12.2	9.7				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	6.2	47.0	16.7	0.6	3.6	4.1	1.8	14.4	9.5	0.2	1.1	2.2
Kidney and renal pelvis	2.4	17.2	9.7	1.0	6.5	5.7	0.2	1.4	2.7	0.2	1.4	2.7
Brain and other nervous system	1.2	9.5	7.7	1.4	9.4	7.1	1.2	9.5	7.7	0.6	3.7	4.3
Thyroid	0.8	5.8	5.8	2.2	17.7	10.6	0.0	0.0	0.0	0.2	1.2	2.4
Hodgkin lymphoma	0.4	4.7	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	3.6	28.8	13.5	1.6	9.8	6.8	1.0	7.5	6.6	1.2	6.1	4.9
Multiple myeloma	1.2	9.0	7.2	0.6	3.9	4.4	0.8	6.1	6.0	0.6	4.2	4.7
Leukemias	2.0	15.2	9.5	0.8	5.1	5.1	1.0	8.4	7.5	0.8	4.5	4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.